


PRICE LIST of PARTS



Model T



Price List of Parts

FORD MODEL T 1909-1910-1911-1912-1913

Prices in effect October 1, 1913

Ford Motor Company

FORD FACTORIES AND BRANCHES

Ford Factory, Detroit—Parent Plant

Ford Factory, Ford, Ont., Canada

Ford Factory, Manchester, England

American Branches and Service Stations

Atlanta—311 Peachtree St.
Boston—650 Beacon St.
Buffalo—1050 Main St.
Cambridge.
Chicago—1444 Michigan Ave.
Cincinnati—911 Race St.
Cleveland—4400 Euclid Ave.
Columbus—207 No. 4th St.
Dallas—1915 Commerce St.
Denver—1552 Broadway.
Detroit—1550 Woodward Ave.

Fargo—209 N. P. Ave.
Houston—800 Walker Ave.
Indianapolis—526 No. Capital Ave.
Kansas City—1710 Grand Ave.
Long Island City.
Los Angeles—Olive and 12th Sts.
Louisville—931 S. Third St.
Memphis—444 Monroe Ave.
Minneapolis—616 Third St.
New York—1723 Broadway.

Oklahoma City—115 W. 2d St.
Omaha—1916 Harney St.
Philadelphia—257 N. Broad St.
Pittsburgh—5925 Baum St.
Portland, Ore.—Union Ave. and
East Davis St.
San Francisco—100 Van Ness Ave.
Seattle—532 Nineteenth Ave. N.
St. Louis—3667 Olive St.
St. Paul—360 Market St.

Ford Assembling Plants are located in the following Cities

Buffalo Cambridge Chicago Columbus Dallas Denver Houston Kansas City Long Island City
Los Angeles Memphis Minneapolis Philadelphia Pittsburgh Portland, Ore. San Francisco Seattle St. Louis

Foreign Branches and Service Stations

Buenos Aires, Argentina.
Calgary, Alberta.
Hamburg, Germany.
Hamilton, Ont.—128 King St. W.
London, England—57 Shaftesbury Ave.

London, Ontario—291 Dundas St.
Melbourne, Aus.—103 William St.
Montreal, Que.—973 St. Catherine
Street, W.
Paris, France—61 Rue de Corneille.

Saskatoon, Sask.—First Ave. and
25th St.
Toronto, Ont.—106 Richmond St.
Vancouver, B. C.—1129 Howe St.
Winnipeg, Manitoba—81 Water St.

Export Department—18 Broadway, New York.

There are Ford Agents in all other Principal Cities

Instructions for Ordering Parts

- 1—Order all parts through the nearest Branch or Dealer in your territory, as parts for the Model T car are carried in stock by them.
- 2—Always specify **Model** and **give Number** of your car. Give **Number** and **Name** of each part ordered.
- 3—**Cash should accompany all orders.** If it is desired to have parts shipped C. O. D., a deposit sufficient to guarantee transportation charges must be remitted with the order.
- 4—Mail and Parcels Post orders must be accompanied by an amount sufficient to cover **Postage.**
- 5—All prices are net f. o. b. Detroit.
- 6—Specify whether shipments are to be forwarded by mail, express or freight.
- 7—Orders for parts should be written separately from correspondence pertaining to other matters, as this will insure prompt handling by the Service Department at the factory.

Telegraph Code

To save expense, to expedite ordering and for the convenience of those purchasing parts, we have arranged a code word for each part of the Ford Model T car. In addition to the Parts Code we list below a brief General Code covering miscellaneous instructions, questions and answers relative to the entering and shipping of parts ordered.

In telegraphing an order for parts start with the code telling us how to ship, then use the word for the part wanted, stating the number required and then give the number of your car.

The following will illustrate how to send in an express order for Eight Push Rods No. 3058, and Three Transmission Band Springs No. 3425:

FORD MOTOR COMPANY, DETROIT, MICHIGAN.

Toperig eight Carat three Dispark for car No. 2841.

Signed.....

Toperig—Ship to me (us) by express.

Toperkleur—Ship by express to——

Topermolen—Ship to me (us) by American Express.

Toperoker—Ship to me (us) by U. S. Express.

Toperal—Ship to me (us) by Wells, Fargo Express.

Toperpool—Ship to me (us) by Dominion Express.

Topersteen—Ship to me (us) by freight.

Toper—Ship to me (us) by mail.

Topfton—When and how did you ship parts called for in my (our) telegram of——

Topflutch—When and how will you ship parts called for in my (our) telegram of——

Topfwasser—When and how will you ship parts called for in my (our) letter of——

Topfgeld—Cancel order for parts our (my) telegram of——

Topfgicht—Cancel order for parts my (our) letter of——

Topfkiemer—Add to our (my) telegraph order of——

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
REAR AXLE									
2500	Rear axle assembly	1909-14	56 inch tread	\$60 00	Aband		95E	1	
*2501	Axle housing—right	1909-12	26" L., dia. of bell $10\frac{1}{8}$ "	10 00	Abase		1E	1	
2501D	Axle housing—right	1913-14	26" L., dia. of bell $9\frac{1}{4}$ "	10 00	Abat		2835B	1	
*2502	Axle housing—left	1909-12	26" L., dia. of bell $10\frac{1}{8}$ "	10 00	Abear		2E	1	
2502D	Axle housing—left	1913-14	26" L., dia. of bell $9\frac{1}{4}$ "	10 00	Abel		2836B	1	
2503B	Axle housing bolt and nut		$\frac{1}{8}$ " x $\frac{1}{2}$ "		05	Abide	42B	5	
2503C	Axle housing bolt and nut		$\frac{1}{8}$ " x $1\frac{1}{8}$ "		05	Abject	42C	7	
2503E	Axle housing bolt and nut		$\frac{1}{8}$ " x $1\frac{1}{8}$ "		05	Ajoy	2854	7	
2505	Axle shaft—substitute 2505A	1909-10	Obsolete						
2505A	Axle shaft with gear and taper hub	1912-14	56" tread, $31\frac{1}{8}$ " long	6 00	Abscond			2	
2505D	Axle shaft—tapered	1912-14	56" tread, $1\frac{1}{2}$ " x $31\frac{1}{8}$ "	2 50	Abode		2818	2	
2506	Axle shaft washer	1909-14	$1\frac{1}{2}$ " dia. fibre		05	Abound	39	1	
2508	Axle shaft roller bearing	1909-14	$2\frac{1}{2}$ " x 4"	1 00	Abrase	200	97	4	11 oz.
2509	Axle shaft roller bearing sleeve	1909-14	4" long		25	Abay	200	4	8 oz.
2510	Axle housing cap	1909-14	$2\frac{1}{2}$ " dia		05	Abroad	100	2	2 oz.
2510A	Axle outer roller bearing steel washer	1909-14	$2\frac{1}{2}$ " dia		05	Absinthe	150	2	
2510B	Axle outer roller bearing felt washer	1909-14	$2\frac{1}{8}$ " dia		05	Absist	100	2	
2512	Diff. case—left (includes bushing)	1909-10	For $\frac{1}{8}$ " spider arm	3 00	Abstain	50	10B	1	4¾ lb.
2512B	Diff. case—left (includes bushing)	1911-13	For $\frac{5}{8}$ " spider arm	3 00	Absurd	50	10C	1	4¾ lb.
2512C	Diff. case—left (no bushing used)	1914		2 50	Abut		10D		
2513	Diff. case—right (includes bushing)	1909-10	For $\frac{1}{8}$ " spider arm	2 50	Abunda	50	11B	1	2 lb., 10 oz.
2513B	Diff. case—right (includes bushing)	1911-13	For $\frac{5}{8}$ " spider arm	2 50	Abyss	50	11C	1	2 lb., 11 oz.
2513C	Diff. case—right (no bushing used)	1914		2 00	Ache		11D		
2514	Diff. case stud and nut	1909-14	$\frac{3}{8}$ " x $2\frac{3}{4}$ "		10	Arcadian	150	3	5 oz.
2517	Diff. case bushing	1909-13	$1\frac{1}{8}$ " bore— $1\frac{1}{2}$ " dia		30	Accite	100	2	1 oz.
2518	Diff. drive gear	1909-14	40 teeth	4 00	Accost	50	12B	1	3 lb., 5 oz.
2519	Diff. drive gear screw	1909-14	$\frac{1}{8}$ " x $\frac{1}{2}$ "		02	Accoy	500	10	
2519A	Diff. gear lock ring	1909-14			05	Acetic	100	2	

*Substitute 2501D and 2502D. Write nearest Branch or Factory for exchange proposition.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
REAR AXLE—Continued									
*2520	Diff. gear	1909-14	24 teeth drilled for pin	\$ 2 00	Acme	50	13	2	1 lb., 1 oz.
*2520B	Diff. gear	1913-14	24 teeth not drilled for pin	2 00	Ace		13B	2	
2521	Diff. gear key	1909-10	$\frac{1}{16}$ " long	05	Acquiet		21B	2	
2521B	Diff. gear key	1911-14	$1\frac{3}{8}$ " long	05	Acrid	100	137	2	
2522	Diff. gear pin	1909-10	$1\frac{5}{8}$ " long	05	Actor		36	2	
2522B	Diff. gear pin	1913-14	$1\frac{7}{8}$ " long	05	Ache		2866	2	
2523	Diff. gear thrust washer	1909-14	Fibre, $3\frac{1}{8}$ " dia	15	Actress	100	32	2	
2524	Diff. pinion	1909-10	$\frac{1}{8}$ " bore, 12 teeth	75	Acute		14B	3	4 oz.
2524B	Diff. pinion	1911-14	$\frac{5}{8}$ " bore, 12 teeth	75	Adage	150	14C	3	5 oz.
2525	Diff. pinion bushing	1909-10	$\frac{1}{8}$ " bore	20	Adder		93B	3	
2525B	Diff. pinion bushing	1911-14	$\frac{5}{8}$ " bore	20	Addict	150	93C	3	
2526	Diff. spider with bushing	1909-10	$\frac{1}{8}$ " dia. arm	1 50	Addlet		15B	1	13 oz.
2526B	Diff. spider with bushing	1911-14	$\frac{5}{8}$ " dia. arm	1 50	Adduce	50	15C	1	13 oz.
2527	Diff. spider bushing	1909-14	$1\frac{1}{8}$ " bore, brass	30	Adfect	50	18	1	3 oz.
2528	Diff. thrust plate	1909-14	$3\frac{3}{4}$ " dia. babbitt	40	Adieu	100	30	2	6 oz.
2529	Diff. thrust plate	1909-14	$3\frac{3}{4}$ " dia. steel	15	Adjoin	200	31	4	3 oz.
2530	Diff. thrust plate pin	1909-14	$\frac{1}{16}$ " long	05	Admix	100	17	2	
2531	Diff. thrust plate pin	1909-14	$\frac{7}{16}$ " long	05	Adgase	200	37	4	
2532	Diff. housing oil plug	1909-14	$\frac{3}{4}$ " x 24 thds	05	Agger	100	817	1	
2545B	Rear axle grease cup	1909-14	$\frac{1}{8}$ " pipe thds	15	Agat	150	76	3	1 oz.
2547	Rear radius rod	1909-14		2 50	Altar		152	2	4 lb., 4 oz.
2548	Radius rod nut	1909-14	$\frac{1}{16}$ " x 18 thds	05	Amass	500	77	2	1 oz.
2549	Radius rod lock nut	1909-14	$\frac{1}{16}$ ", 18 thds	05	Amber	100	78	2	1 oz.
2550	Radius rod lock washer	1909-14	$\frac{1}{16}$ "	01	Ambush	100	2823	2	
2551	Radius rod bolt	1909-14	$\frac{1}{2}$ " x $1\frac{1}{2}$ "	05	Ampite	200	83	4	2 oz.
2554	Ball joint support bolt and nut	1909-14	$\frac{3}{8}$ " x $1\frac{1}{8}$ "	05	Amlabe	350	79 & 8	4	
2557	Hub cam shaft—right	1909-14	$3\frac{3}{8}$ " long	30	Amuck	50	92B	1	3 oz.
2558	Hub cam shaft—left	1909-14	$3\frac{3}{8}$ " long	30	Anchor	50	61B	1	3 oz.
2559	Hub cam shaft bushing	1909-14	$\frac{1}{2}$ " bore, $\frac{1}{16}$ " dia	15	Ancient	100	173	2	1 oz.

*When used in place of the gear having the thin hub, remove the differential case bushings, and fibre washers.




Plate No. 1—Rear Axle Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
REAR AXLE—Continued									
2560	Hub brake spring	1909-13	Flat	\$ 0 05	Anger		63	2	
2561	Hub brake spring rivet, per doz.	1909-14	$\frac{3}{16}$ " x $\frac{3}{4}$ "		05..Anoint	200	64	4	
2562	Cam shaft lever	1909-14	$\frac{1}{2}$ " bore		30..Arab	100	62	2	2 oz.
2563	Cam shaft lever pin	1909-14	$\frac{3}{16}$ " x $\frac{7}{8}$ "		02..Arbor	200	7	4	
2564	Lever clevis pin	1909-14	$\frac{5}{16}$ " x 1"		02..Arcade	200	65	4	
2566	Hub brake shoe	1909-14	Cast iron		40..Arctic	100	55	2	1 lb., 7 oz.
2567	Brake shoe support bolt	1909-14	$\frac{1}{2}$ " x $1\frac{1}{8}$ "		05..Argus	100	59	2	2 oz.
2568	Brake shoe support nut	1909-14	$\frac{1}{2}$ " x 20 thds.		03..Armor	1050	60	2	
2570	Brake shoe coil spring	1909-12	$1\frac{1}{4}$ " long		05..Arsen		67	2	
2570B	Brake shoe coil spring	1913-14	$3\frac{3}{8}$ " long		05..Asug		2862	2	
2571	UNIVERSAL JOINT ASSEMBLY	1909-14		2 50	Ashore	50	151B	1	2 lb., 11 oz.
2572	Joint knuckle (male)	1909-14			75..Ashust		45B	1	16 oz.
2573	Joint knuckle (female)	1909-14		1 00	Askew		46B	1	1 lb.
2574	Joint knuckle pin	1909-14	$\frac{3}{16}$ " x $1\frac{1}{2}$ "		02..Asleep	50	6	2	
2575	Joint ring, complete	1909-14	$3\frac{1}{8}$ " dia.		75..Astert		49B	1	6 oz.
2576	Joint ring rivets (per set 4)	1909-14	$\frac{1}{4}$ " x $1\frac{1}{8}$ "		05..Atche	200	50	4	
2577	Joint housing	1909-14	$4\frac{3}{16}$ " long		75..Atlas	50	70	1	1 lb., 13 oz.
2578	Joint housing plug	1909-14	$\frac{1}{2}$ " x 20 thds.		05..Atom	50	75	1	
2579	Ball joint grease cup	1909-14	$\frac{1}{4}$ " pipe thds.		25..Attic	50	195	1	3 oz.
2580	Ball cap gasket	1909-14	Felt		05..Auburn	50	1518	1	
2580B	DRIVE SHAFT AND HOUSING ASSEMBLY	1909-14		14 00	Balker	50	2805	1	
2582	D. S. tubing	1911-14	$40\frac{1}{16}$ " long	4 00	Ballad		153D	1	
2583	D. S. roller bearing housing	1911-14	$3\frac{1}{16}$ " long		75..Ballot	50	191B	1	2 $\frac{1}{4}$ lb.
2584	D. S. roller bearing stud and nut	1911-13	$\frac{3}{8}$ " x $4\frac{1}{16}$ "		10..Bamily		183-8	6	3 oz.
2584B	D. S. roller bearing stud and nut	1911-14	$\frac{1}{16}$ " x $4\frac{5}{8}$ "		10..Balneal	300	183B-184	6	2 oz.
2586	D. S. roller bearing housing set screw	1911-14	$\frac{1}{2}$ " x 20 thds.		05..Banco	50	101	1	
2587	D. S. roller bearing	1911-14	$2\frac{5}{8}$ " long	1 50	Balsam	50	108	1	2 lb., 5 oz.
2588	D. S. roller bearing distance plate	1911-14	$2\frac{1}{16}$ " dia.		05..Bandlet	50	106	1	
2589B	D. S. ball bearing assembly	1911-14		1 00	Bander	50	185	1	9 oz.
2589	D. S. ball race	1911-14	$2\frac{5}{8}$ " dia.		35..Bandon		186	1	4 oz.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	Req. per Car	Mailing Weight
REAR AXLE—Continued									
2590	D. S. ball retainer	1911-14	2 $\frac{1}{4}$ " dia.	\$ 0 05	Bandroe	190		1	
2591	D. S. ball thrust collar	1911-14	2 $\frac{1}{4}$ " dia.	45	Bandault	50	188	1	3 oz.
2592	D. S. ball bearings, each	1911-14	$\frac{3}{8}$ " ball	04	Bandy		249	15	
2593	D. S. roller bearing sleeve	1911-14	2 $\frac{5}{8}$ " dia., 2 $\frac{7}{8}$ " long	1 00	Bangle	50	107	1	13 oz.
2595B	D. S. only (tapered)	1911-14	1 $\frac{1}{2}$ " x 53 $\frac{1}{16}$ "	3 00	Banjo		87D	1	
2595C	D. S. with sleeve and ball bearing	1911-14	1 $\frac{1}{2}$ " x 53 $\frac{1}{16}$ "	4 00	Bannock		2859	1	
2595D	D. S. with pinion, complete	1911-14	1 $\frac{1}{2}$ " x 53 $\frac{1}{16}$ "	6 00	Banquet		154D	1	
2596	D. S. sleeve	1911-14	1" bore, 3 $\frac{1}{16}$ " long	85	Banshee	50	163B	1	6 oz.
2597B	D. S. pinion	1911-14	Taper bore, 11 teeth	2 00	Banewort	50	16C	1	11 oz.
2598	D. S. castle nut	1911-14	$\frac{5}{8}$ " x 18 thds.	05	Banket	50	124	1	
2598B	D. S. pinion key	1911-14		05	Banker	50	57B	1	
2540	D. S. housing front bushing	1909-14	1" bore, 1 $\frac{3}{4}$ " babbitt	60	Balkish	50	69	1	5 oz.
REAR AXLE—60 INCH TREAD									
2599	Rear axle assembly	1909-14	60" tread	60 00	Bankrupt		1727C	1	
*2600	Rear axle housing—right	1909-12	28" long, dia. of bell 10 $\frac{1}{16}$ "	10 00	Bantam		1701G	1	
2600B	Rear axle housing—right	1913-14	28" long, dia. of bell 9 $\frac{1}{4}$ "	10 00	Bantor		2728A	1	
*2601	Rear axle housing—left	1909-12	28" long, dia. of bell 10 $\frac{1}{16}$ "	10 00	Bantling		1702G	1	
2601B	Rear axle housing—left	1913-14	28" long, dia. of bell 9 $\frac{1}{4}$ "	10 00	Bamon		2729A	1	
2602B	Rear axle shaft—tapered	1911-14	1 $\frac{1}{4}$ " x 33 $\frac{1}{16}$ "	2 50	Baptism		2725	2	7 lb., 9 oz.
2604	Rear radius rod	1909-14	53 $\frac{3}{8}$ " tube only	2 50	Barbett		1726	2	4 lb., 8 oz.
FRONT AXLE									
2690	Front axle assembly	1909-14	56" tread	22 00	Barila		261B	1	
2691	Front axle only	1909-14	56" tread	8 00	Barber		202B	1	
2694	Spindle body—right	1912-14		2 00	Bardash		203B	1	2 lb., 8 oz.
2695	Spindle body—left	1912-14		2 00	Bardish		204B	1	2 lb., 8 oz.

*Substitute 2600B and 2601B. Write nearest Branch or Factory for exchange proposition.




Plate No. 2—Front Axle Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
FRONT AXLE—Continued									
2696	Spindle arm—left	1912-14		\$0 75	Bardism	50	270	1	12 oz.
2696B	Spindle arm—right	1912-14		75	Bardo	50	282	1	12 oz.
2697	Spindle arm nut	1912-14	$\frac{1}{8}$ " x 18 thds.	05	Bardling	500	77	2	1 oz.
2702	Spindle assembly—right	1909-10		2 75	Barkate		203A	1	3 lb., 6 oz.
2703	Spindle assembly—left	1909-10		2 75	Barker		204A	1	3 lb., 6 oz.
2704	Stationary cone	1909-14	$1\frac{1}{8}$ " bore	30	Barkless	100	205	2	4 oz.
2705	Adjusting cone—right thread	1909-14	$\frac{3}{4}$ " x 16 thds., R. T.	20	Barley	50	206	1	2 oz.
2706	Adjusting cone—left thread	1909-14	$\frac{3}{4}$ " x 16 thds., L. T.	20	Barrack	50	207	1	2 oz.
2707	Spindle nut—right thread	1909-14	$\frac{3}{4}$ " x 16 R. H. thds.	10	Barrow	50	209B	1	2 oz.
2708	Spindle nut—left thread	1909-14	$\frac{3}{4}$ " x 16 L. H. thds.	10	Baron	50	208B	1	2 oz.
2709	Spindle washer	1909-14	$\frac{1}{4}$ " hole x $1\frac{3}{8}$ "	02	Barras	100	210	2	
2710	Spindle bolt	1909-14	$\frac{1}{2}$ " x $6\frac{3}{4}$ "	40	Barter	100	211B	2	7 oz.
2711	Spindle bolt nut	1909-14	$\frac{1}{2}$ " x 20 thds.	05	Barton	1050	60	2	
2713	Spindle body bushing (pair)	1909-14	$\frac{1}{2}$ " bore	40	Bartram	200	223	2	2 oz.
2714	Spindle arm bushing	1909-14	$\frac{1}{8}$ " bore, $\frac{1}{4}$ " dia., 1' L.	15	Barwood	100	225	2	
2715	Spindle oiler	1909-14	$\frac{1}{8}$ " pipe thds.	10	Baryta	600	218	2	
2716	Spindle con rod with yoke	1909-14	$47\frac{1}{4}$ " C. to C.	2 50	Barytone		264	1	5 lb., 2 oz.
2717	Spindle con rod with ball pin	1909-14	$46\frac{3}{4}$ " long	2 00	Basalt		268	1	3 lb.
2718	Spindle con rod bolt	1909-14	$\frac{1}{8}$ " x $2\frac{1}{4}$ "	05	Basan	200	216	2	3 oz.
2719	Spindle con rod bolt nut	1909-14	$\frac{1}{8}$ " x 20 thds.	02	Bashful	800	220	2	
2720B	Spindle con rod bolt oiler	1909-14	$\frac{1}{8}$ " pipe thd.	10	Basque	600	218	2	
2721	Spindle con rod yoke	1909-14	$2\frac{3}{4}$ " long	50	Bashule	50	248	1	5 oz.
2722	Steering yoke clamp bolt and nut	1909-14	$\frac{3}{8}$ " x $1\frac{1}{2}$ "	05	Basil	350	79-8	1	
2725B	Steering gear con rod	1909-14	Includes ball sockets	75	Baslard	50	289	1	2 lb., 1 oz.
2728	Ball socket cap	1909-14		15	Basen	50	254B	2	2 oz.
2729	Ball socket bolt and nut	1909-14	$\frac{3}{8}$ " x $1\frac{1}{2}$ "	05	Basined	200	255-8	4	
2733	Front radius rod	1909-14		3 00	Beardless		263	1	
2734	Front radius rod nut	1909-14	$\frac{1}{8}$ " x 18 thds.	05	Beatish	500	77	2	1 oz.
2736	Front radius rod ball cap	1909-14		20	Beaufet	50	217	1	3 oz.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
FRONT AXLE—Continued									
2737	Front radius rod ball socket	1911-14		\$ 0 20	Beckon	50	809B	1	11 oz.
2738	Front radius rod ball cap screw	1909-10	$\frac{3}{8}$ " x 24 thds.	05	Beaver		810A	2	
2739	Front radius rod ball cap screw	1909-14	$\frac{3}{8}$ " x 16 thds.	05	Beblot	100	810B	2	
2740	Speedometer swivel joint support	1912-14		20	Beblack	50	4760	1	5 oz.
2760	FRONT AXLE ONLY	1909-14	.60" tread	8 00	Bechance		1720B	1	
2761	Steering spindle con rod with yoke	1909-14	.60" tread	2 50	Becket		1725	1	3 lb.
2762	Steering gear con rod	1909-14	.60" trd. includes ball sockets	75	Becloud		2739	1	

WHEELS

2800B	Front wheel (specify color)	1909-14	30" x 3"	6 00	Becomb		291	2	
2803C	Front hub assembly	1909-14		3 00	Bedew	50	232	2	4 lb., 5 oz.
2804	Outer race	1909-14	1 $\frac{1}{4}$ " dia.	25	Bedfere		234	2	2 oz.
2805	Inner race	1909-14	2 $\frac{1}{4}$ "	35	Bedight		235	2	5 oz.
2806	Outer ball retainer	1909-14	1 $\frac{1}{4}$ " dia.	05	Bedim		236	2	
2807	Inner ball retainer	1909-14	2 $\frac{1}{4}$ " dia.	05	Bedside		237	2	
2808	Dust ring	1909-14	Steel, 2 $\frac{1}{4}$ " dia.	10	Bedward		238	2	1 oz.
2809	Felt washer	1909-14	2 $\frac{1}{2}$ " dia.	05	Bedije		239	2	
2810	Large balls, each	1909-14	$\frac{1}{2}$ "	05	Beefing		241	24	
2811	Small balls, each	1909-14	$\frac{3}{8}$ "	04	Beemol		249	22	
2812A	Rear wheel (specify color)	1909-10	30" x 3 $\frac{1}{2}$ " straight hub	7 00	Beemine		99	2	
2814C	Rear wheel—blue (taper hub)	1912-14	30" x 3 $\frac{1}{2}$ "	5 00	Beggah		2815	2	
2814D	Rear wheel less hub and brake drum	1912-14		3 00	Behest			2	
2815B	Rear hub (straight bore)	1909-11	1 $\frac{1}{8}$ " bore x 4 $\frac{1}{4}$ "	3 00	Beggart		40B	2	3 lb., 4 oz.
2815C	REAR HUB (TAPERED)	1912-14	3 $\frac{3}{8}$ " long	1 50	Begol	50	2819	2	3 lb., 15 oz.
2816	Rear hub key (for straight axle)	1909-10	$\frac{1}{4}$ " x $\frac{1}{4}$ " x 4 $\frac{1}{8}$ "	05	Begone		26	2	2 oz.
2816B	Rear hub key (for taper axle)	1912-14	$\frac{1}{4}$ " x $\frac{1}{4}$ " x 2 $\frac{1}{4}$ "	05	Begloom	100	2820	2	2 oz.
2817	Rear hub pin	1909-10	$\frac{3}{8}$ " x 2"	02	Begore		27	2	1 oz.
2818	Rear hub brake drum	1909-14	3" hole, 8" dia.	50	Beguiler		3	2	2 lb., 9 oz.
2819	Hub cap	1909-14	2 $\frac{1}{4}$ " x 24 thds.	25	Behave	200	240	4	3 oz.
2820	Hub bolt and nut	1909-10	$\frac{1}{8}$ " x 2 x 18 thds.	05	Beheld		28A	24	




Plate No. 3 - Wheel and Gasoline Tank Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
WHEELS—Continued									
2822	Hub flange	1909-10	5½" dia	\$ 0 30	Behold	233A	4	1 lb., 4 oz.	
2825	Hub bolt and nut	1911-14	⅜" x 2½" x 16 thds	05	Belay	1200	28B	24	
2827	Hub flange	1911-14	6" dia	30	Bellow	233B	4	1 lb., 4 oz.	
2828	Rear hub lock nut	1912-14	⅝" x 18 thds	05	Bengal	200	242	2	2 oz.
FRAME									
*2850	Frame assembly	1909-14	Specify Car No.	9 00	Belone	2916	1		
2851	Side member—right	1909-13	1½" x 101⅛" long	3 00	Belowt	301	1		
2851B	Side member—right	1914		3 00	Benign	2914			
2852	Side member—left	1909-13	1½" x 101⅛" long	3 00	Beltane	302	1		
2852B	Side member—left	1914		3 00	Berdash	2915			
2853	Front cross member	1909-13	22¾" long	1 00	Beluga	303	1		
2854	Rear cross member	1909-13	22⅛" long	1 00	Bemoan	304	1	5 lb., 8 oz.	
2854B	Rear cross member	1914		1 00	Bendlet	2913			
2855	Front corner bracket—right	1909-14		30	Benumb	305	1	9 oz.	
2856	Front corner bracket—left	1909-14		30	Bequest	306	1	9 oz.	
2857	Rear corner bracket—right	1909-14		30	Besiege	307	1	9 oz.	
2858	Rear corner bracket—left	1909-14		30	Bespawl	308	1	9 oz.	
2863	Body bracket	1909-14	On frame	15	Bestow	344	4	4 oz.	
GASOLINE TANK—RUNABOUT									
2875	Gasoline tank	1911-12	16½ gallons	6 00	Bethel	2083	1		
2876	Filler cap	1911-12	2⅛" out. dia	30	Bethump	50	2315	1	7 oz.
2877	Sediment bulb	1911-12	3⅛" long	30	Bethony	50	2085	1	1 lb., 4 oz.
2878	Feed pipe	1911-12	Brass, 78" long	25	Betrap	50	1394	1	9 oz.
2879	Feed pipe clip	1911-12	⅜" wide	05	Betray	50	1395	1	
2880	Tank bolt and nut	1911-12	⅛" x 2¼"	10	Betroth	2345B-926	4		
2883	Tank stop cock	1911-12		20	Bezan	50	1343	1	4 oz.

* Rear cross member extension must be cut off when used on 1909-12 cars.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
GASOLINE TANK—TOURING CAR									
2900	Gasoline tank	1909-14	10 gallons	\$ 3 00	Bibber	1303		1	
2901	Filling plug	1909-14	2 1/8"	30	Biblist	50 1317		1	1 oz.
2902B	Sediment bulb	1909-14	1912, brass	1 00	Bickers	50 2088		1	14 oz.
2903	Tank bolt and nut	1909-14	Specify length	10	Bight	1320		3	1 oz.
2907	Stop cock	1909-14		20	Bigot	50 1343		1	4 oz.
2908	Pet cock	1909-14	1/8" pipe thds	20	Bilbb	200 1515		1	2 oz.
2909	Feed pipe	1909-14	1/4" x 40 3/4" long	25	Billet	50 1364		1	5 oz.
2910	Feed pipe pack nut	1909-14	1/2" x 18 thds	05	Billow	100 1374		1	
MOTOR									
3000	Cylinder	1909-14	Cars above 2500	18 00	Cabal	400C		1	
3001	Cylinder head	1909-14	Cars above 2500	4 00	Cabin	401C		1	
3001 1/2	Cyl. head for metric spark plugs	1909-14	Foreign	4 00	Cablet	401C		1	
3002	Cyl. head gasket	1909-14	Copper-Asbestos	50	Caboose	50 402B		1	6 oz.
3003	Cyl. head cap screw	1909-14	7/16" x 2 3/8"	05	Cackle	650 483B		13	2 oz.
3004	Cyl. head outlet connection	1909-14	Cast iron	20	Caddow	50 446C		1	11 oz.
3005	Cyl. head outlet con gasket	1909-14	Copper	10	Caddy	50 445B		1	
3006	Cyl. head outlet hose	1909-14	2" x 3 1/4"	25	Cadet	50 448B		1	3 oz.
3007	Cyl. head outlet hose clip	1909-14	2 3/8" dia	05	Cadger	200 607B		2	2 oz.
3008	Cyl. head outlet con screw	1909-14	7/16" x 1 1/8"	05	Cadmean	100 550C		2	1 oz.
3009	Cyl. front cover	1909-11	Cars below 2500	75	Caduke	403B		1	2 lb., 14 oz.
3009B	Cyl. front cover with set screw	1912-14	Cars above 2500	75	Cage	50 690		1	3 lb., 1 oz.
3010	Cyl. cover bolt	1909-14	3/8" x 7/8"	05	Cafe	50 589		1	1 oz.
3011	Cyl. cover cap screw	1909-14	3/8" x 1 1/8"	05	Cahoot	200 432		4	
3012	Cyl. cover felt	1909-14	Felt	05	Caitiff	50 504		1	1 oz.
3013	Cyl. cover liner	1909-14	Paper	05	Cajole	50 505B		1	
3014	Cyl. cover and crank case bolt and nut	1909-14	3/8" x 1 1/2"	05	Calash	800 484		16	
3015	Cyl. water inlet connection	1909-14	Cast iron	20	Calcine	50 442B		1	1 lb.
3016	Cyl. inlet con screw	1909-14	7/16" x 1 1/2"	05	Caldron	100 597		2	
3018	Cyl. water inlet gasket	1909-14	Copper	05	Calefy	50 596		1	




Plate No. 4—Motor Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
MOTOR—Continued									
3019	Cyl. water jacket plug	1909-14	½" pipe plug	\$ 0 05	Capin	200	557	6	1 oz.
3020	PISTON COMPLETE	1909-14	3¾" dia.	1 50	Caliph		586C	4	3 lb., 9 oz.
3021	Piston only	1909-14	3¾" dia.	85	Calloous	200	418	4	2 lb., 15 oz.
3022	Piston pin	1909-14	½" dia. x 3½" long	20	Callot	200	419B	4	4 oz.
3022½	Piston pin bushing (pair)	1909-14	½" dia. x 1½" long	25	Callow	400	668	8	2 oz.
3023	Piston ring	1909-14	¼" x 3½"	15	Calmy	600	422	12	2 oz.
*3024	CONNECTING ROD	1909-14	Includes bearings	2 50	Calvish	200	641	4	1 lb., 9 oz.
3025	Con. rod cap bolt and nut	1909-14	¾" x 2" x 24 thds.	10	Calyz	400	489B	8	
3029	Con. rod clamp screw	1909-14	¾" x 1½"	05	Cambrle	200	578	4	
3030	CRANK SHAFT	1909-14	25½" long	10 00	Camel		498B	1	
3031	C. S. rear bearing cap	1909-14	3½" long, babbitted	75	Cameo	50	405B	1	1 lb., 1 oz.
3032	C. S. front bearing cap	1909-14	1½" long, babbitted	60	Camera	50	406B	1	10 oz.
3033	C. S. center bearing cap	1909-14	2½" long, babbitted	60	Camlet	50	407B	1	7 oz.
3034	C. S. bearing bolt—center and front	1909-14	½" x 6½" x 20 thds.	15	Camphor	200	408	4	6 oz.
3035	C. S. bearing bolt nut	1909-14	½" x 20 thds.	05	Canal	1050	60	6	
3036	C. S. rear bearing bolt	1909-14	½" x 4½"	15	Candle	100	478	2	4 oz.
3037	C. S. center bearing liner	1909-14	2½" long, brass	05	Canker	50	501B		
3038	C. S. bearing liner, front	1909-14	1½" long, brass	05	Cannon	50	502B		
3039	C. S. rear bearing liner	1909-14	3" long, brass	05	Canny	50	503B		
3040	C. S. starting pin	1909-14	¾" x 2¾"	05	Canoe	50	529B	1	2 oz.
3041	CAM SHAFT	1909-14	Drop forging	4 50	Canteen	50	410	1	3 lb., 4 oz.
3042	Cam shaft front bearing	1909-14	Cast iron, 2" long	25	Canter	50	411	1	6 oz.
3043	Cam shaft center bearing	1909-14	Cast iron, 2½" long	25	Canthus	50	412B	1	6 oz.
3044	Cam shaft rear bearings	1909-14	Bronze, 1½" long	30	Canto	50	413	1	3 oz.
3045	Cam shaft bearing ring	1909-14	½" x 1½"	05	Canvas	100	534	4	
3046	Cam shaft bearing set screw	1909-14	½" x ½"	05	Capelin	100	414	2	
3047	Cam shaft gear—large	1909-14	42 teeth	1 00	Caper	50	415	1	1 lb., 9 oz.
3048	Cam shaft gear—small	1909-14	21 teeth	90	Capat	50	416	1	11 oz.

* Connecting rods requiring new bearings will be exchanged at Branch or Factory for 75c each.




Plate No. 5—Motor Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
MOTOR—Continued									
3049	Cam shaft gear dowel pin	1909-14	$\frac{3}{8}$ " x $\frac{1}{16}$ "	\$ 0	03	Capra	100	417	2
3050	Cam shaft large gear lock nut	1909-11	Used with com. No. 3200	15	Caprice		475	1	5 oz.
3050B	Cam shaft large gear lock nut	1912-14	Used with com. No. 3160	15	Captive	50	4453	1	2 oz.
3051	Cam shaft small gear key	1909-14	Special Woodruff key	05	Capsize	50	477	1	
3052	Valve	1909-14	Exhaust and inlet	30	Capstan	400	424		4 oz.
3053	Valve bushing	1909-10	$\frac{5}{8}$ " dia. x 2" long	15	Capsule		428	8	2 oz.
3053½	Valve bushing	1911-12	$\frac{1}{2}$ " O. D. x 2" long	15	Captain	400	428B	8	2 oz.
3054	Valve spring	1909-14	2⅞" long	05	Capture	400	431	8	1 oz.
3056	Valve spring seat	1909-14	1⅝" dia.	02	Carack	400	425	8	
3057	Valve spring seat pin	1909-14	$\frac{1}{4}$ " x $\frac{1}{12}$ "	01	Caranx	400	429	8	
3058	Push rod	1909-14	$\frac{1}{16}$ " dia., 2½"	20	Carat	400	426	8	2 oz.
3059½	Push rod bushing	1909-11	Iron	15	Chippy		427B	8	1 oz.
3060	Exhaust pipe	1909-12	Iron	1 00	Chisley	50	511	1	4½ lb.
3060B	Exhaust pipe	1913-14	Iron	1 00	Chirp		4483	1	
3061	Exhaust pipe pack nut	1909-14	1⅞" x 18 thds., brass	40	Chitter	50	518	1	4 oz.
3062	Inlet pipe	1909-14	Aluminum	1 50	Chloris	50	512B	1	4½ lb.
3063	Inlet and exh. pipe gasket	1909-14	1½" O. D. copper	05	Choker	300	513	6	1 oz.
3064	Inlet and exh. pipe gland	1909-14	1¼" dia., iron	05	Chopper	300	514	6	
3065	Inlet and exh. pipe clamp	1909-14	2¾" long	10	Choral	200	515	4	3 oz.
3066	Inlet and exh. clamp stud and nut	1909-14	$\frac{3}{8}$ " x 3¼"	05	Chorus	200	516-517	4	2 oz.
3068	Breather pipe	1909-14	1⅞" long, brass	15	Chuck	200	4468	1	2 oz.
3069	Crank case (substitute 3100 and 3376)	1909-10	Used with No. 3361	12 00	Chunky		1526A	1	
3069½	Crank case front end bearing	1909-10	Riveted on case	1 50	Cicely	50	801C	1	1 lb., 2 oz.
3070	Crank case and cyl. gasket—left	1909-14	Felt	05	Cider	50	886	1	
3071	Crank case and cyl. gasket—right	1909-14	Felt	05	Cigar	50	887	1	
3072	Crank case and cyl. cover cap screw	1909-14	$\frac{3}{8}$ " x 1"	05	Cinter	100	1388	2	
3073	Crank case arm bolt and nut—side	1909-14	$\frac{3}{8}$ " x 2¼"	10	Cippers	100	479	2	2 oz.
3074	Crank case arm bolt and nut—top	1909-14	$\frac{3}{8}$ " x 2½"	05	Circlet	200	480	2	
3076	Crank case front frame bearing	1909-14	Iron	60	Circus	50	320B	1	1 lb., 6 oz.
3077	Crank case front bearing cap	1909-14	Iron	25	Cizar		321	1	3 oz.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
MOTOR—Continued									
3078	Crank case front bearing screw	1909-14	$\frac{1}{16}$ " x $\frac{3}{8}$ "	\$ 0	05..Clabber	100	322	2	1 oz.
3079	Crank case oil cock	1909-14	$\frac{1}{8}$ " pipe thds., brass	25	..Clammy	200	1515	2	2 oz.
3080	Crank case drain cup plug	1909-14	$\frac{3}{4}$ " x 24 thds.	05	..Clapper	100	817	1	1 oz.
3080B	Crank case drain cup plug gasket	1909-14		05	..Cliff		4339	1	
3081	Crank case oil tube	1909-14	Brass	30	..Cleavast	50	543B	1	3 oz.
3082	Crank case oil tube clamp	1909-14		05	..Cleaver	50	548B	1	
3083	Crank case arm block	1909-14	Wood	05	..Clergy	100	890	2	3 oz.
3084	Engine pan—right	1909-14		40	..Clicket	50	1330	1	1 lb., 14 oz.
3085	Engine pan—left	1909-14		40	..Clientage	50	1331B	1	1 lb., 11 oz.
3088	Engine pan bolt and nut	1909-12	$\frac{1}{4}$ " x $\frac{1}{8}$ "	04	..Cloggy	200	1335-1900	7	
3088B	Engine pan and hood board bolt and nut	1909-14		05	..Clog		4074-1309	4	
3100	CRANK CASE WITH LOWER COVER	1912-14	Used only with No. 3376	12 00	..Closet		1526C	1	
3101	Crank case lower cover	1912-14	$6\frac{7}{8}$ " x $15\frac{1}{2}$ "	60	..Closure	50	1582	1	2 lb., 13 oz.
3101B	Crank case lower cover reinforcement	1912-14		30	..Clothes	50	1583	1	1 lb., 11 oz.
3102	Crank case lower cover gasket	1912-14	Felt	10	..Clotting	50	1586	1	
3103	Crank case lower cover screw	1912-14	$\frac{5}{16}$ " x $\frac{1}{16}$ "	03	..Cloudlet	700	4328	14	
3110	Cylinder valve cover	1912-14	$3\frac{3}{4}$ " x 8"	20	..Clovate	100	656	2	13 oz.
3111	Cylinder valve cover gasket	1912-14	Felt	06	..Cloven	200	660	2	
3112	Cylinder valve cover stud	1912-14	$\frac{3}{8}$ " x $3\frac{5}{16}$ "	10	..Compone	100	654	2	2 oz.
3113	Cylinder valve cover nut	1912-14	$\frac{3}{8}$ " x 24 thds.	05	..Comport	700	517	2	

COMMUTATOR

3160	Commutator assembly	1912-14	Used on cars above 2500	2 50	..Connex			1	3 lb., 6 oz.
3162	Com. case support bolt	1912-14	$\frac{3}{8}$ " x $2\frac{1}{4}$ " x 24 thds.	05	..Connote	50	4441	1	2 oz.
3163	Com. case spring	1912-14	$3\frac{1}{4}$ " C. to C.	05	..Conoid	50	689	1	1 oz.
3165	Com. brush assembly	1912-14		50	..Conquest	50	4481	1	3 oz.
3167	Com. roller	1912-14	$\frac{11}{16}$ " out. dia., $\frac{1}{16}$ " long	10	..Consense		673	1	
3168	Com. roller pin	1912-14	$\frac{1}{16}$ " x $\frac{11}{16}$ "	03	..Conserve		675	1	
3169	Com. arm with roller	1912-14		25	..Console		4474	1	1 oz.




Plate No. 6—Commutator Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
COMMUTATOR—Continued									
3170....	Com. roller arm spring.....	1912-14..	Coil spring.....	\$ 0 05..	Consort.....	50....	469.....	1	
3171....	Com. roller pin locking pin.....	1912-14..	$\frac{1}{8}$ " x $\frac{1}{4}$ ".....	01..	Constat.....		676.....	1	
3173....	Com. arm pin.....	1912-14..	$\frac{1}{2}$ " x $\frac{1}{4}$ ".....	05..	Contex.....		465C.....	1	
3175....	Commutator only.....	1912-14..	Used with No. 3009B....	1 50..	Cook.....			1	14 oz.....
3176....	Com. oiler.....	1912-14..	$\frac{3}{8}$ " pipe thds.....	10..	Coomb.....	50....	2383.....	1	
3177....	Com. felt ring.....	1912-14..	Felt.....	05..	Coombox... 50....		4467.....	1	
3204....	Com. body screw.....	1909-14..	No. 10-32 x $\frac{1}{4}$ ".....	02..	Conus.....		463.....	4	
3206....	Com. brush cap.....	1909-14..	$\frac{3}{8}$ " dia.....	05..	Convert.....		468.....	1	
3207....	Com. brush cap pin.....	1909-14..	$\frac{1}{8}$ " x $\frac{1}{4}$ ".....	01..	Convict.....		466.....	1	
3210....	Com. contact point nut.....	1909-14..	$\frac{1}{8}$ " hex.....	02..	Cooper..... 200....		472B.....	4	
3211....	Com. contact point fibre insulator.....	1909-14..	$\frac{1}{8}$ " x $\frac{1}{4}$ " long.....	05..	Copol.....		473B.....	4	
3212....	Com. thumb nut.....	1909-14..	No. 10, 32 thds.....	05..	Copeck.....		467.....	4	
3220....	Com. lock nut.....	1909-14..	$\frac{3}{8}$ " x 18 thds.....	10..	Crater..... 50....		471.....	1	
3221....	Com. case with fibre assembled.....	1912-14..		90..	Crato.....		5908.....	1	

MAGNETO

3250B...	Magneto coil assembly.....	1909-10..	Used with $\frac{1}{8}$ " magnets ..	10 00..	Coquet.....		591B.....	1	9 lb., 6 oz.
3250C...	Magneto coil assembly.....	1911-14..	Used with $\frac{5}{8}$ " magnets..	10 00..	Corel..... 25....		591C.....	1	9 lb., 8 oz.
3252....	Magneto spool support screw.....	1909-14..	$\frac{3}{8}$ " x $\frac{5}{8}$ ".....	05..	Corban..... 200....		486.....	4	
3254....	Magnet bolt.....	1909-14..	$\frac{3}{8}$ " x 1 $\frac{1}{2}$ ".....	05..	Corbeil..... 800....		537B.....	16	1 oz.....
3255....	Magnet washer.....	1909-10..	$\frac{1}{4}$ " hole, $\frac{5}{8}$ " dia.....	05..	Corsule.....		540.....	16	
3255B...	Magnet bolt washer.....	1911-14..	$\frac{1}{4}$ " hole, $\frac{7}{8}$ " dia.....	01..	Corupt.....		624.....	16	
3256....	Magnet washer screw.....	1909-10..	1 $\frac{1}{4}$ " x 24 thds., brass....	05..	Cordage.....		541A.....	16	
3256B...	Magnet washer screw.....	1910....	2" x 24 thds., brass.....	05..	Cordals.....		541B.....	16	
3257....	Magnet brass support.....	1911-13..	$\frac{5}{8}$ " x $\frac{3}{4}$ ", brass.....	10..	Cordial..... 800....		535B.....	16	
3257B...	Magnet brass support.....	1910....	$\frac{5}{8}$ " x $\frac{1}{2}$ ", brass.....	10..	Cordon.....		535C.....	16	1 oz.....
3260....	Magneto contact assembly.....	1909-14..	On trans. cover.....	50..	Cormus..... 50....		1545.....	1	2 oz.....
3261....	Magneto contact thumb nut.....	1909-14..	Brass.....	10..	Cornet..... 50....		1508.....	1	




Plate No. 7—Magneto Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
MAGNETO—Continued									
3262	Magneto contact spring	1909-11	Coil spring	\$ 0 05	Cornise	50	1509	1	
3262B	Magneto primary contact point	1909-14	$\frac{3}{16}$ " dia.	05	Corpse		4350	1	
3264	Magneto contact tube with fibre	1909-14	$\frac{1}{8}$ " x $1\frac{1}{8}$ "	20	Cortex		1516B	1	2 oz.
3266	Magneto contact fibre screw	1909-14	$\frac{1}{2}$ " long	01	Cortile	150	1505B	1	
3269	Fly wheel	1909	Substitute 3250C & 3269D	5 00	Corvine		701A	1	
3269B	Fly wheel	1910	Substitute 3250C & 3269D	5 00	Cosier		701	1	
3269C	Fly wheel	1911-14	Used on cars over 20500	5 00	Cosmic		701B	1	
3269D	Fly wheel with magnets assembled	1912-14	Used with 3250C only	14 00	Cosming		684	1	
3270	Fly wheel cap screw	1909-14	$\frac{1}{8}$ " x $1\frac{1}{8}$ "	10	Cossack	200	721	4	2 oz.
3271	Fly wheel dowel pin	1909-14	$\frac{1}{16}$ " x $1\frac{1}{8}$ "	10	Costard	100	722	2	
3272	Magneto coil support shim	1909-14	Sheet steel	10	Costrel	50	584	1	
3275	Magnet (16) per set	1909-10	Thickness at face $\frac{1}{8}$ "	12 00	Cote		536B	16	
3276	Magnet (16) per set	1911-14	Thickness at face $\frac{5}{8}$ "	4 00	Coupon		536C	16	
3277	Magnet clamp	1911-12	Cars above 20500	05	Cotland	800	623	16	
3277B	Magnet clamp	1913-14		05	Cotta		4499	16	
3278	Magnet clamp screw	1911-14	$2\frac{3}{4}$ " x 24 thds., brass	05	Cottage	800	625	16	
3279	Magneto contact washer	1909-14	Felt on trans. cover	01	Cough	50	560	1	

TRANSMISSION

3300	Transmission assembly	1909-14		45 00	Delester		744B	1	
3301	Trans. reverse plate assembly	1909-14		3 25	Dacolt		747	1	4 lb., 6 oz.
3302	Trans. reverse plate	1909-14	$1\frac{5}{16}$ " x $7\frac{1}{2}$ "	1 00	Dactyl	50	702	1	2 lb., 9 oz.
3303	Trans. reverse gear	1909-14	30 teeth	1 75	Daddock	50	703	1	2 lb., 3 oz.
3304	Trans. reverse gear bushing	1909-14	$2\frac{5}{16}$ " rear	50	Daddy	50	705	1	9 oz.
3305	Trans. rev. & S. S. rivet	1909-14	$\frac{1}{12}$ " x $\frac{1}{16}$ "	01	Dado	800	708	8	
3306	TRANS. SLOW SPEED PLATE ASSEMBLY	1909-14		3 50	Dagger		748	1	4 lb., 10 oz.
3307	Trans. slow speed plate	1909-14	$2\frac{1}{16}$ " hole x $7\frac{1}{2}$ " dia.	1 00	Dagon	50	706	1	2 lb., 4 oz.
3308	Trans. slow speed gear	1909-14	21 teeth	2 00	Dahline	50	707	1	1 lb., 15 oz.
3309	Trans. slow speed gear bushing	1909-14	$1\frac{3}{4}$ " ream	50	Dairy	50	745	1	5 oz.
3310	Trans. brake drum rivet	1909-14	$\frac{1}{12}$ " x $\frac{1}{16}$ "	01	Daisy		711	8	




Plate No. 8—Transmission Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
TRANSMISSION—Continued									
3311	TRANS. BRAKE DRUM ASSEMBLY	1909-14		\$ 3 50	Dakir		750	1	6 lb.
3312	Trans. brake drum only	1909-14	1 $\frac{1}{4}$ " hole x 7 $\frac{1}{2}$ " dia.	1 50	Dakoit	50	709	1	2 lb., 14 oz.
3313	TRANS. TRIPLE GEAR ASSEMBLY	1909-14		4 00	Dallop		751B	3	2 lb.
3314	Trans. triple gear bushing	1909-10	1" dia. x 1 $\frac{1}{2}$ " long.	30	Dally		716A	3	3 oz.
3314 $\frac{1}{2}$	Trans. triple gear flanged bushing	1911-14	1 $\frac{1}{8}$ " dia. x 1 $\frac{1}{4}$ "	30	Dalriad	150	716B	3	4 oz.
3315	Trans. triple gear shaft	1909-14	1 $\frac{1}{8}$ " dia. x 2 $\frac{1}{2}$ "	30	Dalrotz	150	715	4	3 oz.
3316	Trans. triple gear riveting pin	1909-14	$\frac{1}{16}$ " x 1 $\frac{1}{8}$ "	02	Damar	1200	720	24	
3317	Trans. driven gear	1909-14	27 teeth	1 00	Damask	50	713	1	13 oz.
3318	Trans. driven gear key	1909-14	B. Woodruff key	05	Dampen	100	714	2	4 oz.
3319	Trans. driven gear sleeve (on brake drum)	1909-14	3 $\frac{1}{8}$ " dia. x 3 $\frac{1}{8}$ "	1 50	Dampish	50	710	1	1 lb., 13 oz.
3320B	Trans. driven gear sleeve bushing	1909-14	1" ream x flange 2 $\frac{3}{8}$ "	50	Dankish	50	769	1	4 oz.
3320C	Trans. driven gear sleeve bushing	1909-14	1 $\frac{1}{2}$ " long	30	Dark	50	712	1	3 oz.
3321	TRANS. DRIVING PLATE ASSEMBLY	1909-14		4 00	Dannock		749	1	5 lb.
3323	Trans. driving plate screw	1909-14	$\frac{3}{8}$ " x $\frac{3}{4}$ "	06	Daphne	300	1568	6	
3324	Trans. driving plate key	1909-14	"A" Woodruff	05	Dapple		734	1	
3325	Trans. driving plate rivet	1909-14	$\frac{1}{8}$ " x $\frac{5}{8}$ "	01	Darner	400	736	8	
3326	Trans. driving plate hub	1909-14	1 $\frac{1}{8}$ " ream x 5 $\frac{1}{8}$ "	1 50	Darro	50	743	1	12 oz.
3327	Trans. driving plate bushing	1909-14	1 $\frac{1}{8}$ " O. D. x 2" long	30	Darsis	50	724	1	3 oz.
3328	Trans. thrust plate—small	1909-14	6" dia.	15	Dauphin	650	727	13	3 oz.
3329	Trans. thrust plate—large	1909-14	6 $\frac{1}{8}$ "	15	Davine	650	728	13	3 oz.
3330	Trans. distance plate	1909-14	6" O. D.	20	Decry	50	729	1	7 oz.
3331	Trans. gear shaft	1909-14	1" dia. x 7 $\frac{1}{2}$ " over all	2 50	Decurt	50	723B	1	3 oz.
3332	Trans. clutch disc drum	1909-14	4 $\frac{1}{8}$ " dia.	1 50	Deeply	50	725B	1	2 lb.
3333	Trans. clutch disc drum key	1909-14	"C" Woodruff	10	Defalk		726B	1	
3334	Trans. clutch disc drum set screw	1909-14	$\frac{3}{8}$ " x $\frac{3}{4}$ "	05	Defeat	50	752	1	
3336	Trans. clutch push ring	1909-14	6 $\frac{1}{8}$ " O. D.	1 50	Defile	50	704	1	1 lb.
3337	Trans. clutch finger	1909-14		30	Define	150	732B	3	2 oz.
3337 $\frac{1}{2}$	Trans. clutch finger screw	1909-14	$\frac{3}{8}$ " x $\frac{3}{4}$ " x 24 thds.	05	Deflour	150	756	3	3 oz.
3337 $\frac{3}{4}$	Trans. clutch finger washer	1909-14	$\frac{1}{16}$ " hole, $\frac{1}{2}$ " dia.	01	Deforce		759	3	1 oz.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
TRANSMISSION—Continued									
3338	Trans. clutch finger pin	1909-14	$\frac{1}{16}$ " x $1\frac{1}{8}$ "	\$ 0 05	Deform	150	735	3	1 oz.
3340	Trans. clutch spring	1909-14	$2\frac{3}{8}$ " dia. x $2\frac{3}{4}$ " long	30	Defoue	50	737	1	9 oz.
3341	Trans. clutch spring support	1909-14		20	Delator	50	738	1	3 oz.
3342	Trans. clutch spring thrust ring pin	1909-14	$\frac{1}{16}$ " x $2\frac{3}{8}$ "	05	Delete	50	739	1	
3343	Trans. clutch spring thrust ring	1909-14	$\frac{1}{16}$ " x $2\frac{1}{8}$ " dia.	50	Deliac	50	740	1	6 oz.
3344	Trans. clutch shift	1909-14		1 00	Delight	50	733	1	1 lb.
TRANSMISSION COVER									
3361	Trans. cover with square door	1909-10	Aluminum	9 00	Delude		826A	1	
3362	Trans. cover bolt and nut	1909-14	$\frac{3}{8}$ " x $1\frac{1}{2}$ "	05	Defunct	500	825B	8	
3363	Trans. cover felt gasket (front)	1909-14	$\frac{1}{4}$ " x $\frac{1}{2}$ " x $15\frac{1}{2}$ "	05	Defy		872B	1	
3365	Trans. cover door (square)	1909-10	$5\frac{1}{8}$ " x $6\frac{3}{8}$ "	75	Degust		1546C	1	1 lb., 4 oz.
3366	Trans. cover door gasket	1909-10	Felt	10	Delver		1547B	1	
3367	Trans. cover door screw	1909-14	$\frac{1}{8}$ " x $\frac{1}{2}$ "	05	Demain	300	1564	4	
3368	Universal ball cap (rear)	1909-14	$5\frac{3}{8}$ "	60	Demarch	50	818	1	15 oz.
3369	Universal ball cap (front)	1909-14	Bearing included	1 00	Demarga	50	819D	1	1 lb., 2 oz.
3371	Universal ball cap bolt	1909-14	$\frac{3}{8}$ " x $\frac{1}{4}$ "	05	Demise		1568	2	
3372	Universal ball cap bolt and nut	1909-14	$\frac{3}{8}$ " x $1\frac{1}{8}$ "	05	Demit	350	79-8	2	
3374	Trans. cover bolt	1909-14	$\frac{3}{8}$ " x $1\frac{1}{2}$ "	05	Demur	500	484	2	
3375	Trans. cover screw	1909-14	$\frac{3}{8}$ " x 1"	05	Dengue		1388	2	
3376	TRANS. COVER WITH SLOPING DOOR	1911-14	Used with No. 3100	9 00	Denier		826D	1	
3377	Trans. cover felt gasket (pair)	1909-14	Felt	10	Dennet	100	885B	2	
3378	Trans. cover sloping door	1911-14	$9\frac{1}{8}$ " long	30	Dental	50	1546D	1	1 lb., 4 oz.
3379	Trans. cover sloping door gasket	1911-14	Felt	05	Denude		1547C	1	
TRANSMISSION CONTROL									
3400	Trans. clutch release ring	1909-14	$3\frac{1}{4}$ " long, brass	80	Detail	50	741	1	7 oz.
3401	Clutch lever	1909-14		30	Derby	50	806B	1	5 oz.
*3402	Clutch lever shaft	1909-12	$\frac{5}{8}$ " x $9\frac{1}{8}$ "	25	Dermal	50	833B	1	12 oz.

Order Number 3402C for use on cars numbered below 175000




Plate No. 9—Transmission Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
TRANSMISSION CONTROL—Continued									
3402B...	Clutch lever shaft.....	1913-14	Dine.....	\$ 0 25..	Dine.....	4344.....	1	12 oz.....	
3402C...	Clutch lever shaft with release forks.....	1913-14	Dirk.....	85..	Dirk.....		1	1 lb., 8 oz.	
3403....	Clutch lever screw and nut.....	1909-14..	$\frac{3}{8}$ " x $1\frac{1}{8}$ ".....	10..	Dervish.....	50... 1542.....	1		
3405....	Clutch lever pin.....	1909-14..	$\frac{1}{4}$ " x $1\frac{1}{8}$ ".....	03..	Detour.....	1553.....	1		
3406....	Clutch release fork—right and left.....	1909-12.....		40..	Detrude.....	100... 4345.....	1	3 oz.....	
3406B...	Clutch release fork—right or left.....	1913-14.....		30..	Deuce.....	4345.....	2	3 oz.....	
3406C...	Clutch release fork pin.....	1913-14.....		02..	Devil.....	1553.....	2		
3408....	Clutch release fork key.....	1909-14..	No. 7 Woodruff.....	05..	Dilate.....	100... 836.....	2		
3409....	Clutch release fork clamp screw.....	1909-14..	$\frac{3}{8}$ " x $1\frac{1}{8}$ ".....	05..	Dipper.....	100... 835.....	2		
3411....	Clutch lever clevis pin.....	1909-14..	$\frac{1}{8}$ " x 1".....	02..	Disbase.....	65.....	1		
3413....	TRANSMISSION BAND ASSEMBLY.....	1909-14.....		1 00..	Disblame...	150... 838B.....	3	1 lb., 2 oz.	
	(Bands will be exchanged at Branch or Factory at 50c each)								
3414....	Trans. band ear.....	1909-14.....		20..	Discerp.....	150... 839B.....	6	2 oz.....	
3415....	Trans. band washer.....	1909-14..	$\frac{1}{8}$ " hole x $\frac{7}{8}$ " dia.....	02..	Discure.....	100... 840.....	2		
3416....	Trans. band lining.....	1909-14.....		40..	Disedge.....	150... 1562.....	3	3 oz.....	
3419....	Trans. band adjusting screw.....	1909-14..	$\frac{3}{4}$ " x $3\frac{1}{8}$ ".....	10..	Disfriar.....	50... 1533.....	1	4 oz.....	
3420....	Trans. band adjusting screw nut.....	1909-14..	$\frac{3}{4}$ " x 16 thds.....	05..	Dislimb.....	50... 1532.....	1		
3421B...	Trans. band ear iron rivet, per doz.....	1909-14..	$\frac{1}{8}$ " x $\frac{3}{8}$ ".....	02..	Dismal.....	900... 843.....	12		
3422B...	Trans. band brass rivet, per doz.....	1909-14..	$\frac{1}{8}$ " x $\frac{1}{2}$ ".....	05..	Dismast.....	300... 844B.....	6		
3423B...	Trans. band brass rivet, per doz.....	1909-14..	$\frac{1}{8}$ " x $\frac{1}{8}$ ".....	05..	Dismaw.....	900... 845B.....	18		
3425....	Trans. band spring.....	1909-14..	Coil.....	05..	Dispark.....	150... 841B.....	3		
3426....	Trans. band adjusting nut.....	1909-14..	$\frac{1}{8}$ " x 20 thds.....	03..	Displat.....	100... 851.....	2		
3427....	Slow speed shaft.....	1909-14..	$\frac{5}{8}$ " x $9\frac{5}{8}$ ".....	30..	Disputz.....	50... 848B.....	1	11 oz.....	
3428....	Slow speed notch.....	1909-14..	On slow speed shaft.....	35..	Distrand.....	50... 4327.....	1	5 oz.....	
3429....	Slow speed notch pin.....	1909-14..	$\frac{1}{4}$ " x $1\frac{1}{8}$ ".....	03..	Disrobe.....	1560.....	1		
3432....	Speed lever.....	1909-14.....		40..	Distaff.....	862B.....	1	7 oz.....	
3433....	Speed lever clevis pin.....	1909-14..	$\frac{1}{8}$ " x 1".....	02..	Distill.....	65.....	1		
3434....	Reverse pedal.....	1909-14.....		75..	Disting.....	50... 4324.....	1	1 lb.....	
3435....	Brake and rev. pedal shaft.....	1909-14..	$\frac{5}{8}$ " dia. x $7\frac{1}{8}$ ".....	20..	Distrite.....	100... 849B.....	2	8 oz.....	
3436....	Brake and rev. pedal support.....	1909-14.....		20..	Distune.....	100... 4325.....	2	3 oz.....	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
TRANSMISSION CONTROL—Continued									
3437	Brake and rev. support bolt and nut	1909-14	$\frac{3}{8}$ " x $1\frac{1}{2}$ "	\$ 0 10	Ditcher	100	1534-8	2	
3439	Brake pedal	1909-14		75	Dittost	50	4323	1	1 lb., 2 oz.
3440	Clutch pedal	1909-14		75	Ditty	50	854B	1	1 lb., 3 oz.
3441	Pedal pin	1909-14	$\frac{1}{4}$ " x $1\frac{1}{8}$ "	03	Doodle		1553	3	
3442	Clutch pedal support	1909-14		20	Dookad	50	4326	1	3 oz.
3443	Clutch pedal support bolt and nut	1909-14	$\frac{3}{8}$ " x 2"	05	Doorga		1536-8	1	
3445	Slow speed connection	1909-14		10	Doree	50	1540	1	
3446	Slow speed con. lock nut	1909-14	$\frac{1}{8}$ " x 24 thds.	02	Doric	350	850	1	
3447	Slow speed con. clevis	1909-14		20	Dormer	150	802	1	1 oz.
3448	Controller quadrant	1909-14	On frame	40	Dormouse	50	309B	1	11 oz.
3449	CONTROLLER SHAFT WITH SPEED LEVER	1909-14		1 00	Doron	50	1557	1	3 lb., 14 oz.
3450	Controller shaft bracket	1909-14	On frame	15	Dorrer	100	311	2	3 oz.
3451	Controller shaft bracket felt	1909-14		02	Dorsal	100	314	2	
3452	Controller shaft bracket bolt and nut	1909-14	$\frac{1}{8}$ " x $\frac{1}{2}$ "	05	Dorture	200	315-316	4	
3455	HAND BRAKE LEVER ASSEMBLY	1909-14		2 00	Dotant	50	1550	1	1 lb., 13 oz.
3456	Hand brake lever pin	1909-14	$\frac{1}{4}$ " x $1\frac{1}{8}$ "	02	Dottree	50	1560	1	
3457	Hand brake lever key	1909-14	No. 9 Woodruff	05	Doublet	50	874	1	
3458	Hand brake lever pawl	1909-14		15	Doucet	50	875	1	
3459	Hand brake lever pawl pin	1909-14	$\frac{1}{8}$ " x $\frac{1}{8}$ "	05	Doura	150	876	1	
3460	Hand brake lever pawl rod	1909-14		15	Dovecote	50	877	1	3 oz.
3462	Hand brake lever pawl lift	1909-14	Handle	20	Dovekie	50	879	1	2 oz.
3463	Hand brake lever pawl lift spring	1909-14		05	Dawcet		888	1	
3465	HUB BRAKE LEVER ON CONTROLLER SHAFT	1909-14		40	Dawdy	50	864	1	1 oz.
3466	Hub brake lever pin	1909-14	$\frac{1}{4}$ " x $1\frac{1}{8}$ "	02	Downcast	200	1553	1	3 oz.
3467	Hub brake lever clevis	1909-14	$2\frac{1}{8}$ "	20	Dragon	150	802	2	1 oz.
3468	Hub brake pull rod—right	1909-14	$54\frac{1}{8}$ " long	45	Drongo		891B	1	
3469	Hub brake pull rod—left	1909-14	$54\frac{1}{8}$ " long	45	Dropax	50	1513B	1	
3470	Hub brake rod support—right	1909-14		15	Dropsy	50	1367	1	5 oz.
3471	Hub brake rod support—left	1909-14		15	Drugger	50	1398	1	5 oz.
3472	Hub brake rod support bolt and nut	1909-14	$\frac{1}{4}$ " x $1\frac{1}{8}$ "	05	Duchess	100	1399B-1900	2	




Plate No. 10—Steering Gear Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
STEERING GEAR									
3500	Steering gear assembly	1909-10	.50' long, cars below 34600	\$16 00	Eagle		900A	1	
3500B	Steering gear assembly	1911	.56' long, used on Town Cars	16 00	Estop		900B	1	
3500C	Steering gear assembly	1912-14	.51' long	16 00	Estopped		5005	1	
3500D	Steering gear assembly	1911	.60' long, runabout	16 00	Eurus		979	1	
3501	Steering gear rim	1909-10	.14' dia., wood	1 00	Easter		901A	1	1 lb., 3 oz.
3501B	Steering gear rim	1911-14	.15' dia., wood	1 00	Estrade	50	901B	1	1 lb., 3 oz.
3502	Steering gear rim screw	1909-14	No. 12, $\frac{3}{4}$ "		Eblis		919	4	
3503	Steering gear spider	1909-10	.12 $\frac{3}{8}$ " over all	1 00	Ebony		902A	1	1 lb., 11 oz.
3503B	Steering gear spider	1911-14	.13 $\frac{3}{8}$ " over all	1 00	Estrepe		902B	1	1 lb., 10 oz.
3504	Steering gear cover	1909-14	2 $\frac{1}{2}$ " x 18 thds.	80	Ecbole	50	903	1	10 oz.
3505	Steering gear cover screw	1909-14	No. 6, 32 x $\frac{3}{4}$ "		Eccope		910	2	
3506	Steering gear cover bushing	1909-14	1 $\frac{1}{32}$ " long, brass	20	Echo		914	1	1 oz.
3507	Steering gear internal gear case	1909-14	.3' x 18 thds.	1 00	Eclat	50	904	1	11 oz.
3508	Steering gear case bushing	1909-14	$\frac{1}{16}$ " x 2 $\frac{3}{16}$ "	80	Eclipse		905A	1	10 oz.
3509	Steering gear quadrant	1909-14	Brass	80	Ectype	50	906	1	7 oz.
3510	Steering gear quadrant pin	1909-14	$\frac{1}{16}$ " x 1 $\frac{1}{4}$ " brass	03	Eden		907	2	
3511	Steering gear wheel nut	1909-14	$\frac{5}{8}$ " x 16 thds.	20	Edict	50	913	1	2 oz.
3512	Steering gear tubing assembly	1909-10	Applies to No. 3500	8 00	Edile		964A	1	
3512B	Steering gear tubing assembly	1911	Applies to No. 3500B	8 00	Ethic		964B	1	
3512C	Steering gear tubing assembly	1912-14	Applies to No. 3500C	8 00	Ethicer		5016	1	
3512D	Steering gear tubing assembly	1911	Applies to No. 3500D	8 00	Euryale		5011	1	
3513	Steering tubing flange screw	1909-10	$\frac{1}{16}$ " x 1 $\frac{1}{16}$ ", brass	05	Educe		927	4	
3513B	Steering tubing flange screw	1911-14	$\frac{1}{16}$ " x 1 $\frac{1}{16}$ "	05	Ethule	200	5019	3	
3513C	Steering tubing flange screw	1911-14	$\frac{1}{16}$ " x 1 $\frac{1}{16}$ "	05	Ettle		5018	1	
3514	Steering tubing flange screw nut	1909-14		05	Ettlox		926		
3516	Steering gear post	1909-10	Applies to No. 3500	2 00	Effray		915A	1	
3516B	Steering gear post	1911	Applies to No. 3500B	2 00	Estrick		915B	1	
3516C	Steering gear post	1912-14	Applies to No. 3500C	2 00	Estricked		5002	1	
3516D	Steering gear post	1911	Applies to No. 3500D	2 00	Eutaxy		959	1	
3517	Steering gear pinions, each	1909-14	12 teeth	25	Egad		916	3	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
STEERING GEAR—Continued									
3518	Steering gear pinion pin	1909-14	$\frac{3}{8}$ " x $1\frac{1}{8}$ "	\$ 0 05	Egest	917		3	
3519	Steering gear drive pinion	1909-14	12 teeth	75	Egger	911		1	7 oz.
3520	Steering gear drive pinion key	1909-14	$\frac{1}{8}$ " sq. x $\frac{1}{2}$ "	05	Egma	100	909	2	
3521	Steering gear pinion shaft bushing	1909-14	$\frac{7}{8}$ " bore x $1\frac{1}{2}$ "	20	Egress	912		1	
3523	Steering gear post castle nut	1909-14	$\frac{1}{2}$ " x 20 thds.	05	Elder	1050	60	1	
3524	Throttle rod	1909-10	$44\frac{1}{2}$ " Applies to 3500	40	Eisel	933A		1	1 lb., 2 oz.
3524B	Throttle rod	1911	$46\frac{1}{2}$ " Applies to 3500B	40	Etivee	933B		1	1 lb., 2 oz.
3524D	Throttle rod	1911	$52\frac{1}{2}$ " Applies to 3500D	40	Euterpe	957		1	
3524E	Throttle rod	1912-14	$47\frac{1}{2}$ " Applies to 3500C	40	Euter	5003		1	
3525	Lead rod	1909-10	$48\frac{1}{8}$ " Applies to 3500	40	Elder	934A		1	1 lb., 2 oz.
3525B	Lead rod	1911	$50\frac{1}{8}$ " Applies to 3500B	40	Eupolis	934B		1	1 lb., 2 oz.
3525D	Lead rod	1911	$55\frac{1}{4}$ " Applies to 3500D	40	Evangel	958		1	2 lb.
3525E	Lead rod	1912-14	$51\frac{1}{8}$ " Applies to 3500C	40	Evans	5004		1	
3526	Lead and throttle handle	1909-14	$1\frac{1}{8}$ " long, rubber	20	Elfin	918		2	
3527	Lead and throttle rod spring	1909-14		05	Elite	100	935	2	
3528	Lead and throttle rod collar	1909-14	$\frac{1}{8}$ " bore x $\frac{1}{8}$ "	05	Elope	100	936	2	
3529	Lead and throttle rod pin	1909-14	$\frac{1}{8}$ " x $\frac{1}{8}$ "	02	Elvan	937		2	
3530	Lead rod lever	1909-14		20	Embank	50	946	1	
3531	Throttle rod lever	1909-14		25	Ember	50	947	1	
3532	Throttle rod guide	1909-14	$\frac{3}{4}$ " bore	25	Emblem	938		1	
3534	Commutator pull rod	1909-11	14" long	20	Embroid	1325B		1	3 oz.
3534B	Commutator pull rod	1912-14		20	Embrace	50	2082	1	3 oz.
3535	Carburetor pull rod	1909-14	$13\frac{1}{2}$ " long	20	Emboss	50	1329B	1	3 oz.
3536	Ball and socket joint	1909-14		20	Embrail	50	1326	2	5 oz.
3537	Ball and socket joint nut	1909-14	$\frac{1}{2}$ " x 32 thds.	03	Embrute	50	1327	2	
3538	Carburetor pull rod adjustment	1909-14	$\frac{1}{2}$ " x 32 thds.	15	Empale	50	1904	1	4 oz.
3539	Steering post bracket with bushing	1909-10		1 50	Empeach	932A		1	10 oz.
3539B	Steering post bracket with bushing	1911-12	Touring	1 50	Eupon	932B		1	1 lb., 11 oz.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	Req. per Car	Mailing Weight
STEERING GEAR—Continued									
3539C...	Steering post bracket with bushing	1911	Runabout	\$ 1 50	Exile		953	1	1 lb., 7 oz.
3540...	Steering post bracket bolt	1909-14	$\frac{3}{8}$ " x $2\frac{1}{4}$ "	15	Empearl	100	479	1	
3541...	Steering post bracket bolt and nut	1909-14	$\frac{3}{8}$ " x $\frac{11}{16}$ "	05	Endive		480	2	
3544...	Steering post bracket felt washer	1909-14		05	Endow		943	1	
3545...	Steering post bracket bushing	1909-14	$\frac{3}{4}$ " bore, brass	60	Envault	50	944	1	7 oz.
3546...	Steering post bracket block	1909-14	Wood	10	Empact	50	945	1	3 oz.
3547...	Steering gear ball arm	1909-14		75	Eparch	50	929B	1	12 oz.
3548...	Steering gear ball arm key	1909-14	Woodruff	05	Ephod		930	1	
3563...	Steering post bracket grease cup	1909-14	$\frac{1}{8}$ " pipe thds	15	Eurite		76	1	1 oz.

BODY PARTS

3601...	Body bracket on body	1910-12	Front end		10	Fabius	1002	2	10 oz.
3601B...	Body bracket on body	1910-14	Center and rear		10	Fabric	300 1624	6	13 oz.
3601C...	Body bracket on frame	1911-12	Rear		40	Faber	300 2435	2	4 oz.
3602D...	Body bracket con. bolt and nut	1910-12	Specify size		05	Facade	100	2	
3611...	Tonneau door handle	1910-11	$3\frac{1}{8}$ " long, brass		60	Fairy	1443	2	7 oz.
3611B...	Door knob	1912			15	Faro	2620	3	
3617B...	Tonneau door hinge assembly—right		Specify year	1 00	Flavor			1	
3618B...	Tonneau door hinge assembly—left		Specify year	1 00	Flogger			1	
3624...	Front floor rubber matting	1909-12	$31\frac{1}{8}$ " x $27\frac{1}{8}$ "	2 00	Fardel		1616	1	
3624B...	Front floor rubber matting	1912	$29\frac{1}{8}$ " x $29\frac{1}{8}$ " Runabout	2 00	Fitch		5215	1	
3624C...	Front floor rubber matting	1913-14	$27\frac{1}{8}$ " x $29\frac{1}{8}$ "	2 00	Fiton		5401	1	
3624D...	Front floor rubber matting	1912	Delivery car	1 00	Fixit		5251	1	
3626...	Floor board (first from dash)	1909-14		35	Farness		1098	1	
3627...	Floor board (second)	1909-14	Specify size	35	Farrier		1402	1	
3628...	Floor board (third)	1909-14	Specify size	35	Fasces		1404	1	
3629...	Floor board (fourth)	1909-14	Specify size	35	Fasti		1403	1	
3630...	Floor board forward plate for pedals	1909-14	$2\frac{1}{8}$ " x $3\frac{1}{8}$ "	40	Fateful	50	1400C	1	7 oz.
3632...	Floor board rear plate for pedals	1909-14	$2\frac{1}{8}$ " x $4\frac{1}{8}$ "	50	Father	50	1095C	1	11 oz.
3633...	Floor board plate for side lever	1909-14	$2\frac{3}{8}$ " x $8\frac{3}{4}$ "	35	Fathom	50	1094B	1	5 oz.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	Req. per Car	Mailing Weight
BODY PARTS—Continued									
3634	Dash	1909-10	$\frac{3}{4}$ " x $21\frac{1}{4}$ " x $31\frac{1}{8}$ "	\$ 5 00	Fatting	1091A		1	
3634B	Dash	1911	$21\frac{1}{4}$ " x $31\frac{1}{8}$ "	5 00	Flamen	1091B		1	
3634C	Dash	1912	23" x $32\frac{1}{4}$ "	5 00	Flamemer	5257		1	
3634D	Dash	1913-14	$21\frac{1}{2}$ " x $32\frac{1}{4}$ "	5 00	Flamgo	5336		1	
3635B	Dash brass moulding	1911	$73\frac{1}{8}$ " long, $\frac{1}{2}$ " wide	1 00	Flattish	1063B		1	12 oz.
3635C	Dash brass moulding	1912	Used on square dash	1 00	Flattisher	5275		1	12 oz.
3638	Dash shield	1909-14	$\frac{1}{2}$ " x $3\frac{3}{8}$ " x $13\frac{3}{4}$ "	20	Faubit	1097B		1	5 oz.
3639	Dash shield guide	1909-14	$\frac{1}{4}$ " x 1" x $14\frac{3}{4}$ "	20	Fausen	1093		1	5 oz.
3640B	Dash bracket—left	1911-14	$10\frac{1}{2}$ "	50	Flanker	1017B		1	10 oz.
3641B	Dash bracket—right	1911-14	$10\frac{1}{2}$ "	50	Flannel	1018B		1	10 oz.
3642	Dash bracket bolt and nut	1909-14	$\frac{3}{8}$ " x $\frac{3}{8}$ " on frame	05	Faunist	200	1028-8	4	
3645	Dash bracket top bolt and nut	1909-14	$\frac{1}{8}$ " x $1\frac{1}{4}$ " x 18 thds.	05	Favos	250	2427-926	2	
3651	Dash to body bracket	1909-14	$\frac{1}{8}$ " x $1\frac{3}{8}$ " x $4\frac{5}{8}$ "	15	Febid	100	1489	2	2 oz.
3655	Oil lamp bracket—right	1909-14	Touring cars	30	Feline	50	1497	1	12 oz.
3656	Oil lamp bracket—left	1909-14	Touring cars	30	Felsire	50	1498	1	12 oz.
3657	Oil lamp bracket screw and nut	1909-14	$\frac{1}{4}$ " x $1\frac{5}{8}$ "	10	Felwort	200	1603-1608	4	
3660	Tail lamp bracket	1909-12		25	Fennel	50	1613	1	1 lb., 2 oz.
3660B	Tail lamp bracket	1913-14	Touring car	25	Fenor		5442	1	
3660C	Tail lamp bracket	1912	Delivery car	25	Sperm		1698	1	1 lb., 1 oz.
3661	Tail lamp bracket bolt and nut	1909-14	$\frac{1}{8}$ " x $1\frac{7}{8}$ "	05	Ferial	100	1662-341	2	
3663	Gas lamp bracket (right)	1909-14		75	Fertile	50	1301B	1	1 lb., 1 oz.
3664	Gas lamp bracket (left)	1909-14		75	Fervid	50	1348B	1	1 lb., 1 oz.
3665	Gas lamp bracket nut	1909-14	$\frac{1}{2}$ " x 20 thds.	05	Festal		1302	2	
3667	Front seat cushion	1910		12 00	Festoon		1626A	1	
3667B	Front seat cushion	1911-12	State size	12 00	Fondus		1626B	1	
3667C	Front seat cushion	1913	$37\frac{3}{8}$ " x $17\frac{1}{2}$ "	12 00	Fanom		5634	1	
3667D	Seat cushion	1913	Runabout	10 00	Fanox		5565	1	
3667E	Front seat cushion	1914		10 00	Farce		7027		
3670	Rear seat cushion	1910		12 00	Fetich		1627A	1	
3670B	Rear seat cushion	1911-12	State size	12 00	Forest		1627B	1	
3670C	Rear seat cushion	1913	$43\frac{3}{8}$ " x 18"	12 00	Forel		5635	1	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No. Req. per Car	Mailing Weight
BODY PARTS—Continued								
3670D...	Rear seat cushion.....	1914.....		\$10 00.	Forum.....	7032.....	1.....	
3671....	Oil lamp bracket—right (Town Car).....	1909-12.....		1 00.	Fibster.....	1645.....	1.....	1 lb., 6 oz.
3672....	Oil lamp bracket—left (Town Car).....	1909-12.....		1 00.	Fibrine.....	1659.....	1.....	1 lb., 6 oz.
3673....	Oil lamp bracket—right (Coupe).....	1910.....		1 00.	Fiend.....	2200.....	1.....	1 lb., 5 oz.
3674....	Oil lamp bracket—left (Coupe).....	1910.....		1 00.	Fierce.....	2201.....	1.....	1 lb., 5 oz.
3675....	Tail lamp bracket (Coupe).....	1910-12.....		50.	Fickle.....	1698.....	1.....	8 oz.
3676....	Cocoa mat.....	1909-10.....	31" x 32"	2 50.	Fidena.....	1606A.....	1.....	
3676B...	Cocoa mat.....	1911-14.....	30" x 28"	2 50.	Flatus.....	1606B.....	1.....	

SPRINGS

3800....	Front spring.....	1909-14.....	Specify color.....	4 50.	Gadan.....	332.....	1.....	
3801....	First leaf (main leaf).....	1909-14.....		1 25.	Gabblar.....	354.....	1.....	4 lb.
3802....	Second leaf.....	1909-14.....		90.	Gablet.....	355.....	1.....	3 lb., 5 oz.
3803....	Third leaf.....	1909-14.....		70.	Gaddish.....	356.....	1.....	2 lb., 10 oz.
3804....	Fourth leaf.....	1909-14.....		60.	Gadoid.....	357.....	1.....	2 lb., 10 oz.
3805....	Fifth leaf.....	1909-14.....		50.	Gallic.....	358.....	1.....	1 lb., 13 oz.
3806....	Sixth leaf.....	1909-14.....		40.	Gafol.....	359.....	1.....	1 lb., 13 oz.
3807....	Seventh leaf.....	1909-14.....		25.	Gaiter.....	360.....	1.....	15 oz.
3808....	Front spring clip.....	1909-14.....		20.	Galena.....	100.....	325B.....	2 10 oz.
3809....	Front spring clip nut.....	1909-14.....	$\frac{1}{2}$ " x 20 thds.....	05.	Gallant.....	1050.....	60.....	4.....
3811....	Front spring tie bolt and nut.....	1909-14.....	$\frac{5}{16}$ " x 2 $\frac{1}{4}$ ".....	10.	Galley.....	50.....	1362-1363.....	1 1 oz.
3813....	Front spring hanger.....	1909-14.....		50.	Gambit.....	246.....	4.....	4 oz.
3815....	Front and rear spring hanger nut.....	1909-14.....	$\frac{1}{16}$ " x 20 thds.....	02.	Gambage.....	800.....	220.....	8.....
3817....	Front and rear spring hanger oiler.....	1909-14.....		10.	Gamin.....	600.....	218.....	8.....
3818....	Front spring perch—right.....	1909-14.....		1 00.	Gamut.....	50.....	222.....	1 15 oz.
3819....	Front spring perch—left.....	1909-14.....		1 00.	Gander.....	50.....	222 $\frac{1}{2}$	1 15 oz.
3820....	Front spring perch bushing.....	1909-14.....	$\frac{11}{16}$ " x 1 $\frac{1}{2}$ ", brass.....	20.	Gangue.....	200.....	230.....	4 1 oz.
3821....	Front spring perch nut.....	1909-14.....	$\frac{5}{8}$ " x 18 thds.....	05.	Ganil.....	200.....	242.....	2 2 oz.
3823....	Front spring leather.....	1909-14.....	1 $\frac{1}{2}$ " x 5 $\frac{3}{4}$ ".....	10.	Gannet.....	50.....	262.....	1 2 oz.
3824....	REAR SPRING.....	1909-14.....	56" tread, 8 leaf.....	12 00.	Ganoid.....	333.....	1.....	
3825....	First leaf (main leaf).....	1909-14.....		2 60.	Gantlope.....	361.....	1.....	9 lb., 1 oz.
3826....	Second leaf.....	1909-14.....		2 25.	Gantois.....	362.....	1.....	7 lb., 3 oz.
3827....	Third leaf.....	1909-14.....		2 00.	Ganza.....	363.....	1.....	7 lb., 14 oz.
3828....	Fourth leaf.....	1909-14.....		1 75.	Gaphare.....	364.....	1.....	6 lb., 5 oz.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
SPRINGS—Continued									
3829	Fifth leaf	1909-14		\$ 1 60	Garden	365		1	5 lb., 13 oz.
3830	Sixth leaf	1909-14		1 50	Garland	366		1	5 lb., 11 oz.
3831	Seventh leaf	1909-14		1 30	Garlic	367		1	5 lb., 13 oz.
3832	Eighth leaf	1909-14		1 10	Garner	368		1	3 lb., 8 oz.
3833	Rear spring clip	1909-14	4 $\frac{1}{16}$ "	20	Game	100 326		2	11 oz.
3834	Rear spring clip nut	1909-14	$\frac{3}{16}$ " x 18 thds	05	Garter	50 77		4	1 oz.
3835	Rear spring clip bar	1909-14	$\frac{3}{8}$ " x 1 $\frac{1}{8}$ " x 4" x $\frac{1}{16}$ "	10	Gascon	100 329		2	6 oz.
3837	Rear spring tie bolt and nut	1909-14	$\frac{3}{8}$ " x 2 $\frac{1}{16}$ "	10	Gastric	50 1352		1	2 oz.
3840	Rear spring hanger	1909-14		50	Gaulus	200 91 $\frac{1}{2}$		4	4 oz.
3842	Rear spring leather pad	1909-14	2" x 10 $\frac{1}{4}$ "	10	Gavel	50 94		1	2 oz.
3843	Rear spring perch	1909-14		60	Gavot	100 41		2	11 oz.
3844	Rear spring perch bushing	1909-14	$\frac{3}{16}$ " bore x $\frac{3}{4}$ " dia. x 2"	20	Gawky	100 172		2	2 oz.
3845	Rear spring perch nut	1909-14	$\frac{1}{16}$ " x 16 thds	05	Gazara	100 174		2	2 oz.
3847	Front spring retainer clip and rivet	1909-14		10	Gazzam	373-374		2	4 oz.
3848	Rear spring retainer clip and rivet	1909-14		10	Gecko	375-376		2	5 oz.

REAR SPRING—60 INCH TREAD

3850	Rear spring	1909-14	48 $\frac{1}{2}$ " long, 8 leaf	12 00	Geddur	1704		1	
3851	Rear spring clip	1909-14	$\frac{3}{16}$ " x 4 $\frac{1}{16}$ "	20	Gelder	100 1737		2	12 oz.
3852	Rear spring tie bolt and nut	1909-14	$\frac{3}{8}$ " x 3 $\frac{1}{16}$ "	10	Gemote	50 1738-1353		1	3 oz.
3853	First leaf (main leaf)	1909-14		2 60	Gemsbok	1739		1	
3854	Second leaf	1909-14		2 25	Gershon	1740		1	8 lb., 8 oz.
3855	Third leaf	1909-14		2 00	Gerper	1741		1	8 lb.
3856	Fourth leaf	1909-14		1 75	Gherkin	1742		1	6 lb.
3857	Fifth leaf	1909-14		1 60	Gibbet	1743		1	5 lb., 8 oz.
3858	Sixth leaf	1909-14		1 50	Ginger	1744		1	6 lb., 8 oz.
3859	Seventh leaf	1909-14		1 30	Gipsire	1745		1	4 lb., 6 oz.
3860	Eighth leaf	1909-14		1 10	Gisarm	1746		1	3 lb., 9 oz.

STARTING CRANK

3900	Starting crank only	1909-14	Cars above 2500	75	Hernia	519B		1	1 lb., 11 oz.
3901	Starting crank handle	1909-14	Aluminum	25	Heron	50 520		1	2 oz.
3902	Starting crank handle bolt	1909-14	$\frac{1}{2}$ " x 4 $\frac{5}{16}$ "	10	Herpes	50 521		1	4 oz.




Plate No. 12—Radiator Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	--------------------------------------	----------	------------------	----------------

STARTING CRANK—Continued

3903	Starting crank sleeve	1909-14	$\frac{43}{16}$ " bore x $\frac{53}{16}$ " x $2\frac{3}{4}$ "	\$ 0 20	Hesper	50	523B	1	4 oz.
3905	Starting crank ratchet pin	1909-14	$1\frac{3}{8}$ "	05	Hestern	50	527B	1	
3906	Starting crank ratchet	1909-14		25	Hetman	50	528B	1	11 oz.
3908	Starting crank spring	1909-14	Brass	05	Hilding	50	626	1	

RADIATOR-THERMO SYPHON

3925	Radiator	1909-14	Cars above 2500	20 00	Hominy		1100C	1	
3926	Radiator cap	1909-14		50	Hothir		1103B	1	2 oz.
3928	Radiator pad	1909-14	Leather	05	Hovel	50	1105	2	
3929	Radiator stud and nut	1909-14	$\frac{3}{8}$ " x $2\frac{7}{16}$ "	05	Hoxy	100	1162-8	2	1 oz.
3930	Radiator stud spring	1909-14		05	Hubby	100	1152	2	
3931 $\frac{1}{2}$	Radiator stud washer nut	1909-14	$\frac{3}{8}$ " x 24 thds	05	Huffish	100	1161	2	
3932	Radiator rod	1909-14	$20\frac{3}{4}$ " long	15	Huller	50	1111B	1	7 oz.
3934	Radiator rod nut	1909-14	$\frac{3}{8}$ " x 24 thds	02	Humbler		517	1	
3939	Outlet connection pipe	1909-14	$1\frac{3}{4}$ " x 12"	25	Humic	50	1121	1	14 oz.
3940	Outlet connection cock	1909-14	$\frac{1}{8}$ " pet cock	20	Humine	200	1515	1	2 oz.
3944	Outlet connection hose	1909-14	$1\frac{3}{4}$ " x $2\frac{3}{4}$ "	20	Hungry	100	507B	2	3 oz.
3945	Outlet connection hose clip	1909-14	$2\frac{1}{8}$ " dia	05	Hunter	200	554B	4	2 oz.
3946	Radiator stay rod	1911	$22\frac{3}{4}$ " long, runabout	15	Hurden		1167	1	8 oz.

RADIATOR FAN

3960	Fan and pulley assembly	1909-14	Cars above 2500	1 25	Hutten	50	619	1	1 lb., 6 oz.
3961	Fan blade	1909-14		10	Hyades	200	611	4	3 oz.
3961B	Fan blade rivets, per dozen	1909-14		05	Hyad	800	612	16	
3962	Driven fan pulley	1909-14	Brass, upper	80	Hydra	50	618	1	12 oz.
3963	Fan drive pulley	1909-14	Steel, lower	30	Hydrant	50	602	1	7 oz.
3964	Fan belt	1909-14		30	Hydrate	50	609	1	2 oz.
3966	Fan shaft	1909-14	$\frac{1}{16}$ " x $4\frac{9}{16}$ "	25	Hyper	50	606	1	4 oz.
3967	Fan bracket	1909-14		30	Hypo	50	604	1	8 oz.
3968	Fan bracket bolt	1909-14	$\frac{1}{2}$ " x $2\frac{3}{8}$ "	15	Hypere	50	605	1	3 oz.
3970	Fan grease cup	1909-14		15	Hyppish	50	601	1	
3973	Fan adjusting screw and nut	1909-14	$\frac{3}{8}$ " x $1\frac{3}{4}$ "	10	Hyssop	50	645	1	1 oz.




Plate No. 13—Muffler and Hood Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
MUFFLER									
4025	Muffler assembly	1909-14		\$ 2 50	Jobal	1200B		1	8 lb., 3 oz.
4026	Muffler head—intake	1909-14	1 $\frac{5}{16}$ " bore x 5 $\frac{5}{16}$ " dia.	60	Jobesh	1202B		1	1 lb., 4 oz.
4027	Muffler shell—outer	1909-14	5" dia. x 12"	30	Jabin	1203		1	1 lb.
4028	Muffler shell (middle)	1909-14	3 $\frac{1}{2}$ " dia. x 13"	25	Jackal	1204		1	12 oz.
4029	Muffler shell (inner)	1909-14	2" dia. x 14"	60	Jaday	1205		1	1 lb., 5 oz.
4030	Muffler rod only	1909-14	$\frac{5}{16}$ " x 13 $\frac{3}{8}$ "	10	Jadish	1206	150	3	5 oz.
4031	Muffler rod nut	1909-14	$\frac{5}{16}$ " x 24 thds.	02	Jagger	1207		6	
4032	Muffler bracket—exhaust	1909-14		30	Jambee	1217		1	3 oz.
4033	Muffler bracket—intake	1909-14		30	Jantu	1218		1	3 oz.
4034	Muffler bracket bolt and nut	1909-14	$\frac{3}{8}$ " x $\frac{25}{32}$ "	05	Janus	480-517		4	
4037B	Long exhaust pipe	1909-14		1 20	Jaunty	1829		1	
4038	Muffler asbestos	1909-14		15	Jahud	1215		1	6 oz.
4039	Muffler asbestos bands	1909-14	Tin	10	Jerboa	1216	150	3	1 oz.
4040	Rear muffler head with outlet pipe	1909-14		75	Jetson	1221		1	2 lb.
HOOD									
4050	Hood	1909-14	22" long (specify color)	6 50	Jibsam	1300		1	
4051	Hood handle	1909-14	5 $\frac{1}{2}$ " long	25	Jingal	100	1314	2	2 oz.
4052	Hood clip	1909-14	3 $\frac{11}{16}$ "	10	Jippo	200	1310	4	2 oz.
4053	Hood clip spring	1909-14		05	Jockey	200	1311	4	
4056	Hood board—left	1909-14	22 $\frac{3}{4}$ " long	40	Johim	50	1339	1	10 oz.
4057	Hood board—right	1909-14	22 $\frac{3}{4}$ " long	40	Jorum	50	1340	1	10 oz.
4058	Hood board bolt and nut	1909-12	$\frac{1}{4}$ " x 1 $\frac{1}{8}$ "	05	Jowter	200	1308-1309	4	
4060	Hood support on dash	1909-14		1 00	Jupon	50	1334	1	2 lb.
4061	Hood support screw	1909-14	No. 10, $\frac{5}{8}$ " wood screw	01	Jurist	450	1350	9	
4070	Hood	1911	24" long, runabout	6 50	Junta		2313	1	
4071	Hood block—right	1911	24 $\frac{3}{4}$ " long, runabout	40	Justle		2305	1	10 oz.
4072	Hood block—left	1911	24 $\frac{3}{4}$ " long, runabout	40	Juzil		2306	1	10 oz.
WIRING									
4350	Spark plug wire	1909-14	15 $\frac{1}{2}$ ", No. 1 cyl.	20	Nohob	100	1365	1	2 oz.
4351	Spark plug wire	1909-14	12 $\frac{1}{2}$ ", No. 2 cyl.	20	Nachor	50	1366	1	2 oz.
4352	Spark plug wire	1909-14	8", No. 3 cyl.	15	Naggy	100	1376	1	1 oz.




Plate No. 14—1913 Kingston and Holley Carburetor Parts




Plate No. 15—1912 Holley Carburetor Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
WIRING—Continued									
4353	Spark plug wire	1909-14	8 $\frac{3}{4}$ ", No. 4 cyl.	\$ 0	15	Nalad	100	1376	1 1 oz.
4354	Spark plug wire terminal	1909-14	Copper		03	Nailer	400	1381	8 1 oz.
4355	COMMUTATOR WIRES WITH LOOM				60	Nandu	50	1951	1 8 oz.
4356	Commutator wires with terminal, each	1909-14			10	Napaw			4
4357	Commutator wire terminal (coil end)	1909-14	Copper		03	Napher		1385	4
4359	Commutator wire loom support	1909-14			05	Napple	100	1390	2
4360	Magneto to coil wire	1909-14	15 $\frac{1}{2}$ " long		20	Napus		1365	1 1 oz.
4361	Commutator loom rubber nipple	1909-14			03	Nargil	100	1964	2 1 oz.
4362	Commutator wire rubber nipple	1909-14	$\frac{1}{4}$ " dia. x $\frac{5}{8}$ "		02	Narsal	200	1965	4
4363	Commutator wire support (on dash)	1909-14	$\frac{3}{4}$ " x $\frac{7}{16}$ " x 1"		05	Norwalt	50	1638	1
4366	Spark plug wire	1911	17 $\frac{1}{2}$ ", No. 1 cyl, runabout		20	Nashon		2357	1 2 oz.
4367	Spark plug wire	1911	14 $\frac{1}{2}$ ", for No. 2 cyl. "		20	Nasute		2358	1 1 oz.
4368	Spark plug wire	1911	10", for No. 3 cyl. "		15	Natal		2359	1 1 oz.
4369	Spark plug wire	1911	11", for No. 4 cyl. "		15	Native		2360	1 1 oz.

KINGSTON CARBURETOR—1913

4400	Carburetor complete	1913	Four ball type	7	50	Mason		553D	1 4 lb., 4 oz.
4401	Float with lever	1913		1	00	Mark		6311	1 1 oz.
4402	Gasoline valve	1913			50	Mask		3002	1 2 oz.
4403	Gasoline needle valve	1913			40	Medal		4871	1 1 oz.

Parts for 1909-10-11 Carburetors supplied by Byrne Kingston Co., Kokomo, Ind.

HOLLEY CARBURETOR—1913

4450	Carburetor complete	1913		7	50	Mire		533D	1 3 lb.
4451	Float with lever	1913		1	00	Match		6312	1 1 oz.
4452	Spray needle assembly	1913			60	Meek		4854	1 2 oz.
4453	Gasoline inlet needle	1913			30	Mend		4860	1 1 oz.

HOLLEY CARBURETOR—1912

4554	Float with lever	1912		1	00	Man		6314	1 2 oz.
4559	Spray needle	1912			60	Mare		4807	1 2 oz.
4572	Gasoline inlet elbow assembly	1912			55	Mermaid		4838	1 3 oz.
4573	Gasoline inlet needle	1912			30	Monarch		4828	1
4581	Air throttle pull rod				15	Monger		2000	1 1 oz.

(Other parts required may be ordered by plate numbers; prices quoted on application)

Parts for 1909-10-11 Carburetors supplied by Holley Bros. Co., Detroit, Mich.

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	Req. per Car	Mailing Weight
CARBURETOR ATTACHMENTS									
4126....	Carburetor adjusting rod head.....	1909-14		\$0 15	Lascar.....	1356B		1	
4127A....	Carb. adjusting rod bracket.....		On dash	30	Lastage.....	1357		1	
4129A....	Carb. adjusting rod with head.....	1909-14		25	Latten.....	1359A		1	
4130....	Carb. flange bolt and nut.....	1909-14		05	Leaper.....	1388		2	
4134....	Carb. flange gasket.....	1909-14		05	Lecturn.....	1380B		1	
4431....	Carb. priming rod.....	1909-14		20	Loach.....	2000		1	
4180....	Carb. hot air pipe.....	1910-11	O. D. 1 $\frac{1}{8}$ "	10	Link.....	494		1	
4181....	Carb. hot air pipe connection.....		Used with 4180-4538.	10	Lost.....	691		1	
4582....	Carb. hot air pipe.....	1912-14		20	Monkey.....	686		1	
4538....	Carb. hot air pipe.....	1911	O. D. 1 $\frac{3}{16}$ "	10	Morbid.....	664		1	

HEINZE COIL

4602....	Coil cover.....	1910-13	Wood	1 50	Mezzo.....	4602		1	8 oz.
4604....	Coil box with cover.....	1910-13	Wood	6 00	Micher.....	4604		1	3 lb., 12 oz.
4611....	Coil unit.....	1910-13	Size.	4 50	Michtam.....	4611		4	1 lb., 12 oz.
4613....	Adjusting nut and ratchet.....	1910-13		15	Migrant.....	4613		4	3 oz.
4616....	Vibrator with plat. point.....	1910-13		90	Mile.....	4616		4	
4618....	Vibrator bridge with plat. point.....	1910-13		90	Mileped.....	4618		4	
4638....	Switch assembly.....	1910-13		1 50	Milepore.....	4638		1	7 oz.
4639....	Switch plug.....	1910-13		15	Milter.....	4639		1	
4640....	Switch base.....	1910-13	Includes spring.	75	Milvus.....	4640		1	3 oz.
4641....	Switch cover.....	1910-13		25	Minish.....	4641		1	2 oz.
4644....	Switch lever.....	1910-13		25	Minnock.....	4644		1	
4645....	Switch lever knob.....	1910-13		15	Misown.....	4645		1	
4646....	Switch lever knob set screw.....	1910-13		02	Misprize.....	4646		1	

K. W. COIL

4676....	Coil box with cover.....	1913	Wood	6 00	Nectar.....	4692		1	
4677....	Coil box cover.....	1913	Wood	1 25	Nerve.....	4691		1	
4678....	Switch assembly.....	1913		1 50	Nestle.....	4600		1	
4679....	Switch plug.....	1913		15	Nitre.....	4657		1	
4680....	Switch lever with knob.....	1913		45	Noble.....	4635		1	
4681....	Coil unit.....	1913	Size, 5 $\frac{3}{8}$ " x 3 $\frac{1}{4}$ " x 2 $\frac{1}{4}$ "	4 50	Nomad.....	4693		4	
4682....	Vibrator spring with plat. point—lower.....	1913		1 15	Nostril.....	4708		4	
4683....	Vibrator bridge with plat. point—upper.....	1913		1 35	Nugget.....	4711		4	

FORD SPARK COIL

4725....	Coil.....	1914	Applies all cars.	20 00	Negus.....	1383		1	
4726....	Coil box with cover.....	1914	Metal	4 00	Nenia.....	5858		1	
4727....	Coil box cover.....	1914	Metal	75	Nephew.....	5856		1	




Plate No. 16—Heinze, K. W. and Ford Coil Parts




Plate No. 17—Kingston Coil Parts




Plate No. 18—Fender Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	--------------------------------------	----------	------------------	----------------

FORD SPARK COIL—Continued

4728	Switch assembly	1914		\$ 1 20	Nidor	5873		1	
4729	Switch base assembly	1914		75	Noddy	5841		1	
4730	Switch cover	1914		25	Nones	5835		1	
4731	Switch plug	1914		15	Nopal	5815		1	
4732	Coil unit	1914	Size, 3½" x 2½" x 5"	4 00	Noggin	5845		4	
4733	K. W. vibrator with plat. point	1914		1 15	Nonce	4708		4	
4734	K. W. vibrator bridge with plat. point	1914		1 35	Novia	4711		4	
4736	Heinze vibrator with plat. point	1914		90	Nowel	4612		4	
4737	Heinze vibrator bridge with plat. point	1914		90	Nullah	4618		4	
4739	Kingston vibrator spring with plat. point	1914		90	Nyas			4	
4740	Kingston vibrator bridge with plat. point	1914		90	Nymph			4	

KINGSTON COIL—1913

4701	Switch base	1911-13		75	Meroy	3083D		1	
4702	Switch base cover	1911-13		30	Merino	3070D		1	3 oz.
4705	Switch assembly	1911-13		1 50	Merop	3072D		1	11 oz.
4713	Coil unit	1909-13	Size.	4 50	Maslach	4715		4	
4714	Coil box with cover	1909-13	Wood	6 00	Martyr	3032D		1	
4715	Coil cover	1909-13	Wood	1 50	Marvel	3031		1	
4716	Vibrator spring with plat. point	1912-13		75	Mator	4720		4	
4717	Vibrator bridge with plat. point	1912-13		75	Matis	4717		4	
4718	Switch key	1911-13		15	Mastpod	3065D		1	
4719	Unit knurled adjusting screw	1911-13		25	Mastich	4719		4	
4720	Unit fastener thumb nut	1909-13		05	Maston	3054		4	

FENDERS AND RUNNING BOARDS—56 INCH TREAD

4800	Front fender—right	1911-14	Touring Car & Runabout	3 00	Scorch	1414C		1	
4801	Front fender—left	1911-14	Touring Car & Runabout	3 00	Scoul	1413C		1	
4802	Rear fender—right	1911-14	Touring Car & Runabout	3 00	Sexton	1416C		1	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
FENDERS AND RUNNING BOARDS—56 INCH TREAD—Continued									
4893...	Rear fender—left	1911-14	Touring Car & Runabout	\$3 00	Shark	1415C		1	
4802B...	Rear fender—right	1912	Torpedo-Roadster	3 50	Sexis	5206		1	
4802C...	Rear fender—right	1912	Delivery car	3 50	Slush	5209		1	
4803B...	Rear fender—left	1912	Torpedo-Roadster	3 50	Shaker	5218		1	
4803C...	Rear fender—left	1912	Delivery car	3 50	Smelt	5210		1	
4804...	Rear fender iron—right and left	1912	10 $\frac{5}{16}$ " long, touring	40	Shear	379		2	13 oz.
4804B...	Rear fender irons—right and left	1912	Torpedo-Roadster	75	Sheco	2903		2	1 lb., 11 oz.
4804C...	Rear fender irons—right and left	1912	Delivery car	40	Smoke	4205		2	13 oz.
4804D...	Rear fender iron—right and left	1913-14	Touring car	40	Smile	5405		2	
4804E...	Rear fender iron—right	1913	Torpedo	75	Shire	5563		1	
4804F...	Rear fender iron—left	1913	Torpedo	75	Shrub	5390		1	
4805...	Rear fender iron bolt and nut	1912-14	$\frac{3}{8}$ " x 1 $\frac{1}{2}$ "	10	Shoal	340A-341		6	
4808...	Front fender iron bolt	1912-14	$\frac{3}{8}$ " x 1 $\frac{3}{16}$ "	05	Shovel	389		2	1 oz.
4809...	Front fender iron—right or left	1909-14		1 00	Sistom	343		2	1 lb., 13 oz.
4812...	Running board—right or left	1909-14	44 $\frac{7}{8}$ " long	75	Shrew	5418		1	
4814...	Running board metal shield—right	1912-14	Touring and Torpedo	2 00	Skylark	1409C		1	
4815...	Running board metal shield—left	1912-14	Touring and Torpedo	2 00	Skylight	1408C		1	
4816...	Running board truss rod—front with nuts	1909-14	Old No. 2947	25	Skybird	5804		1	
4817...	Running board truss rod—rear with nuts	1909-14	Old No. 2947B	25	Skyman	5805		1	
4818...	Running board bracket	1909-14	Old No. 2946	75	Skyhawk	336		4	1 lb., 14 oz.

FENDERS AND RUNNING BOARDS—60 INCH TREAD—BLUE

4820...	Front fender—right	1911-12	Touring and Roadster	3 00	Tablet	1715B		1	
4820B...	Front fender—right	1913	Touring and Torpedo	3 00	Table	2742		1	
4821...	Front fender—left	1911-12	Touring and Roadster	3 00	Tabor	1716B		1	
4821B...	Front fender—left	1913	Touring and Torpedo	3 00	Tabula	2743		1	
4822...	Rear fender—right	1911-12	Touring	3 00	Talent	1749		1	
4822B...	Rear fender—right	1913	Touring and Torpedo	3 00	Talion	2741		1	
4823...	Rear fender—left	1911-12	Touring	3 00	Tallow	1748		1	




Plate No. 19—Special Tools

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
FENDERS AND RUNNING BOARDS—60 INCH TREAD—BLUE—Continued									
4823D...	Rear fender—left.....	1913.....	Touring and Torpedo.....	\$ 3 00..	Talma.....	2740.....		1	
4823B...	Rear fender—left.....	1912.....	Torpedo and Roadster.....	4 00..	Tallos.....	2732.....		1	
4823C...	Rear fender—right.....	1912.....	Torpedo and Roadster.....	4 00..	Tallis.....	2733.....		1	
4824...	Rear fender iron—right and left.....	1911-12.....	Touring, 11 $\frac{3}{8}$ ' long.....	40..	Target.....	2700.....		2	
	Rear fender iron—right and left.....	1913.....	Order No. 4804D.....			5405.....		2	
	Rear fender iron—right.....	1913.....	Order No. 4804E.....						
	Rear fender iron—left.....	1913.....	Order No. 4804F.....						
4824B...	Rear fender irons—right and left.....	1912.....	Torpedo and Roadster.....	75..	Targon.....	2731.....		2	
4825...	Front fender irons—right and left.....	1909-12.....	Touring and Torpedo.....	1 00..	Tempest.....	1713.....		2	
	Front fender irons—right and left.....	1913.....	Order No. 4809.....						
4826...	Running board shield—right.....	1911-12.....	Tour., Torp. & Roadster..	2 00..	Tennis.....	1717B.....		1	
	Running board shield—right.....	1913.....	Order No. 4814.....						
4827...	Running board shield—left.....	1911-12.....	Tour., Torp. & Roadster..	2 00..	Thirst.....	1718B.....		1	
	Running board shield—left.....	1913.....	Order No. 4815.....						
4828...	Running board bracket.....	1909-12.....	Tour., Torp. & Roadster..	75..	Border.....	1714.....		4	
	Running board bracket.....	1913.....	Order No. 4818.....						
4829...	Running board truss rod—front.....	1909-12.....	51' long, Tour., Torp. & Roadster.....	25..	Bosset.....	1708.....		2	
	Running board truss rod—front.....	1913.....	Order No. 4816.....						
4830...	Running board truss rod—rear.....	1909-12.....	Tour., Torp. & Roadster..	25..	Bounce.....	1734.....		1	
	Running board truss rod—rear.....	1913.....	Order No. 4817.....						

SPECIAL TOOLS

1349...	Hub cap wrench.....	Regular equipment.....	25..	Pacal.....	1349.....	1	7 oz.....
1387...	Adjustable wrench.....	Regular equipment.....	40..	Pacos.....	50.. 1387.....	1	1 lb.....
1902...	Screw driver.....	Regular equipment.....	25..	Padan.....	50.. 1902.....	1	5 oz.....
1903...	Pliers.....	Regular equipment.....	30..	Paddy.....	50.. 1903.....	1	8 oz.....
1917...	Double end wrench.....	Regular equipment.....	20..	Pagan.....	50.. 1917.....	1	5 oz.....

OCT 1, 1913

PAGE 53




Plate No. 20—Fender Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
SPECIAL TOOLS—Continued									
1924...	3/8" socket wrench.....		12" long.....	\$ 0 50..	Pallah.....	50...	1924.....	1	1 lb.....
1929...	Fly wheel cap screw wrench.....		11 3/8" long.....	30..	Palmy.....	50...	1929.....	1	1 lb., 3 oz.
1930X...	Valve spring lifter.....		15" long.....	75..	Palpus.....		1930-8.....	1	13 oz.....
1957...	Valve grinder.....			1 00..	Palster.....		1957.....	1	15 oz.....
1933X...	Rear wheel puller assembly.....			1 50..	Panary.....		1933-45.....	1	1 lb., 14 oz.
1936X...	Cam gear puller.....			1 50..	Pantile.....		1936-7.....	1	1 lb., 8 oz.
1953X...	Transmission clutch puller.....			1 50..	Papaw.....	1370-1953-5	1953-5.....	1	1 lb., 3 oz.
1974...	Drive shaft housing stud nut wrench for 3/8" nut.....		7 1/2" long.....	40..	Papist.....		1974.....	1	9 oz.....
1974B...	Drive shaft housing stud nut wrench for 1/2" nut.....			40..	Parent.....		2073.....	1	10 oz.....
1975...	Rear axle housing bolt nut wrench.....		7 3/4" long.....	50..	Parvis.....		1975.....	1	9 oz.....
1978...	Valve seat reamer.....		7 1/2" long.....	2 50..	Papula.....		1978.....	1	15 oz.....
2319...	Screw driver for cam shaft set screw.....		6 1/2" long.....	50..	Parley.....		2319.....	1	10 oz.....
2320...	3/8" T socket wrench.....		9 1/4" long.....	50..	Parfit.....		2320.....	1	1 lb., 2 oz.
2321...	Socket wrench for crank shaft bearing bolt nut.....		12 1/2" long.....	50..	Passim.....		2321.....	1	1 lb., 4 oz.
2322...	3/8" L socket wrench.....		12".....	50..	Pastel.....		2322.....	1	1 lb., 4 oz.
2323...	3/8" open end wrench.....		7 1/2" long.....	35..	Pastor.....		2323.....	1	6 oz.....
2324...	Connecting rod clamp screw wrench.....		10 1/4" long.....	40..	Parrot.....		2324.....	1	1 lb., 1 oz.
2328...	3/8" brace socket wrench.....		24 3/8" long.....	60..	Parsee.....		2328.....	1	2 lb., 3 oz.
2331...	Piston ring squeezer.....		3 7/8" dia.....	25..	Patile.....		2331.....	1	1 lb., 4 oz.
2332...	Magnet screw brace screw driver.....		13 3/4" long.....	50..	Patrol.....		2332.....	1	12 oz.....
2333...	Large cam gear lock nut wrench.....		14" long.....	40..	Pavan.....		2333.....	1	15 oz.....
2335...	Spark plug and cyl. head bolt wrench.....		Regular equipment.....	50..	Pavid.....	5893	5893.....	1	
2336...	Tool roll.....		Regular equipment.....	35..	Pawky.....	1979	1979.....	1	4 oz.....
2337...	Oil can.....		Regular equipment.....	20..	Paxos.....	3426-3425	3426-3425.....	1	3 oz.....
2338...	Tire pump.....		Regular equipment.....	4 50..	Payser.....	1368	1368.....	1	4 lb., 13 oz.
2340...	Tire irons, each.....		Regular equipment.....	15..	Pelage.....	4069	4069.....	1	8 oz.....
2341...	Crank shaft bearing bolt special wrench.....			50..	Pelox.....	2069	2069.....	1	15 oz.....
2342...	Metal tool box.....		Size 21" x 9" x 9".....	4 00..	Polo.....	3409	3409.....	1	

Parts listed on following pages apply particularly to Model T cars built during 1909-10-11. Other repairs for these cars being identical with those manufactured during 1912-13, are listed under proper headings on preceding pages

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	--------------------------------------	----------	------------------	----------------

BODY PARTS—1911 RUNABOUT

3700	Dash	1911	$\frac{3}{4}$ ' x $20\frac{1}{4}$ ' x $28\frac{1}{2}$ '	\$ 6 00	Fidget	2558	1		
3701	Dash bracket—right	1911		50	Figory	2563	1	3 oz.	
3702	Dash bracket—left	1911		50	Filbert	2564	1	3 oz.	
3704	Oil lamp bracket—right	1911		30	Flord	2577	1	14 oz.	
3705	Oil lamp bracket—left	1911		30	Firkin	2578	1	14 oz.	
3711	Rubber matting	1911	$30\frac{3}{4}$ ' x $33\frac{3}{8}$ '	2 00	Fitchy	2614	1		
3717	Seat cushion (one piece)	1911		10 00	Flagrate	2635	1		

FENDERS AND RUNNING BOARDS—56 INCH TREAD

2925	Front fender—left	1909-10	Specify color	4 00	Binal	1413A	1		
2926	Front fender—right	1909-10	Specify color	4 00	Biped	1414A	1		
2927	Rear fender—left	1909-10	Specify color	3 50	Birken	1415B	1		
2928	Rear fender—right	1909-10	Specify color	3 50	Bishop	1416B	1		
	Front fender iron—right or left	1909-13	Specify No. 4809						
2930	Rear fender iron—right	1909-10		1 50	Bitter	342B	1	1 lb., 2 oz.	
2931	Rear fender iron—left	1909-10		1 50	Blatant	349B	1	1 lb., 2 oz.	
2932	Fender iron bolt and nut	1909-10		05	Blatter	345	12	2 oz.	
2935	Fender eye bolt, nut and washer	1909-10		15	Blenny	1945	6	3 oz.	
	Running board (pressed steel)		Specify 4812	1 00	Blowzy	1410B	1		
2942	Run board shield—left	1909-10	Specify color	2 50	Bluing	1408A	1		
2943	Run board shield—right	1909-10	Specify color	2 50	Bluster	1409A	1		
2944	Run board fender bolt and nut	1909-10	$\frac{1}{4}$ ' x $1\frac{1}{8}$ '	05	Boaster	1344B	8		
	Run board bracket	1909-10	Specify No. 4818						
	Run board truss rod (front)	1909-10	Specify No. 4816						
	Run board truss rod (rear)	1909-10	Specify No. 4817						
2948	Run board truss rod nut	1909-10	$\frac{1}{8}$ ' x 20 thds.	02	Boggle	339	8		
2949	Run board bolt and nut	1909-10	$\frac{1}{8}$ ' x $1\frac{3}{4}$ '	05	Bolary	340B	8		
2952	Run board shield for Town Car—left	1909-10	Green	2 50	Bombard	1620	1		
2953	Run board shield for Town Car—right	1909-10	Green	2 50	Bombax	1621	1		

FENDERS AND RUNNING BOARDS—60 INCH TREAD

2975	Front fender—right	1909-10	Green	4 00	Bonfire	1715B	1		
2976	Front fender—left	1909-10	Green	4 00	Bongrace	1716B	1		
	Front fender iron—right and left	1909-10	Specify No. 4825						




Plate No. 21—Old Style Motor Parts

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	--------------------------------------	----------	--------------	----------------

FENDERS AND RUNNING BOARDS—60 INCH TREAD—Continued

2978	Rear fender iron—left	1909-10		\$ 1 50	Bonnett	1711B	1	1	3 lb., 4 oz.
2979	Rear fender iron—right	1909-10		1 50	Booley	1712	1	1	3 lb., 4 oz.
2980	Running board shield—right	1909-10	Green	2 50	Bopey	1717B	1		
2981	Running board shield—left	1909-10	Green	2 50	Borage	1718B	1		
	Running board bracket	1909-13	Specify No. 4828						
	Running board truss rod—front	1909-13	Specify No. 4829						
2984	Running board shield for Town Car—right	1909-10	Green	2 50	Bottle	1732	1		
2985	Running board shield for Town Car—left	1909-10	Green	2 50	Boulder	1731	1		
	Running board truss rod—rear	1909-13	Specify No. 4830						

FENDERS AND RUNNING BOARDS—RUNABOUT—56 INCH TREAD

4840	Front fender—right	1911	Blue	4 00	Thistle	2561	1		
4841	Front fender—left	1911	Blue	4 00	Thorn	2562	1		
4842	Rear fender—right	1911	Blue	4 00	Thrift	2555	1		
4843	Rear fender—left	1911	Blue	4 00	Throat	2554	1		
4844	Rear fender iron—right	1911		1 50	Thug	382	1		3 lb., 1 oz.
4845	Rear fender iron—left	1911		1 50	Tiger	381	1		3 lb., 1 oz.
4846	Running board—right	1911	21 $\frac{3}{8}$ " long	60	Toad	2551	1		
4847	Running board—left	1911	21 $\frac{3}{8}$ " long	60	Toast	2552	1		
4848	Running board shield—right	1911	Blue	2 50	Tonsil	2557	1		
4849	Running board shield—left	1911	Blue	2 50	Towel	2556	1		

FENDERS AND RUNNING BOARDS—RUNABOUT—60 INCH TREAD

4860	Front fender—right	1911	Blue	4 00	Tulip	2706	1		
4861	Front fender—left	1911	Blue	4 00	Tunic	2707	1		
	Front fender iron—right and left		Specify No. 2977				2		
4863	Rear fender—right	1911	Blue	4 00	Turtle	2708	1		
4864	Rear fender—left	1911	Blue	4 00	Twin	2709	1		
4865	Rear fender iron—right	1911		1 50	Twirl	2704	1		3 lb., 4 oz.
4866	Rear fender iron—left	1911		1 50	Twitch	2705	1		3 lb., 4 oz.
4867	Running board shield—right	1911	Blue	2 50	Typhoid	2703	1		
4868	Running board shield—left	1911	Blue	2 50	Tythe	2710	1		

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
Order the Following Parts for Cars Numbering Below 2500									
400A...	CYLINDER.....	1908-09..	$\frac{7}{16}$ " hole for cap screws.....	\$24 00..	Compound.....	400A.....	1		
401B...	Cylinder head.....	1908-09..	$\frac{7}{16}$ " hole for cap screw.....	4 00..	Comprint.....	401B.....	1		
402A...	Cylinder head gasket.....	1908-09..		75..	Compunct.....	402A.....	1	5 oz.	
403A...	Cylinder cover (front end).....	1908-09..		1 25..	Comrade.....	403A.....	1	2 lb., 15 oz.	
505A...	Cylinder cover paper liner.....	1908-09..	$\frac{1}{4}$ " thick.....	10..	Condite.....	505A.....	1		
483A...	Cylinder head cap screw.....	1908-09..	$\frac{3}{8}$ " x $2\frac{1}{8}$ " x 24 thds.....	05..	Concept.....	483A.....	15		
446A...	Outlet brass connection.....	1908-09..	$\frac{3}{8}$ " bolt holes.....	60..	Concoct.....	446A.....	1	12 oz.	
446B...	Outlet brass connection.....	1908-09..	$\frac{7}{16}$ " bolt holes.....	60..	Concord.....	446B.....	1	11 oz.	
550...	Outlet connection screw.....	1908-09..	Specify size.....	05..	Conscrew.....	550A.....	2		
445A...	Outlet brass connection gasket.....	1908-09..		15..	Conder.....	445A.....	1		
448...	Outlet hose.....	1908-09..	$1\frac{5}{8}$ " x $4\frac{1}{4}$ ".....	40..	Condign.....	448A.....	1	4 oz.	
554B...	Outlet hose clip.....	1908-09..	$2\frac{1}{8}$ " dia.....	10..	Condole.....	554A.....	2	2 oz.	
442A...	Cylinder water inlet brass connection.....	1908-09..	$1\frac{1}{2}$ " long.....	30..	Condog.....	442A.....	1	4 oz.	
444...	Cylinder water inlet pack nut.....	1908-09..	$1\frac{3}{8}$ " x 18 thds.....	15..	Conduce.....	444.....	1	2 oz.	
586...	Piston assembly (obsolete).....	1908-09..	Substitute 3020 and 3024.....	2 00..	Condil.....	568A.....	4	3 lb., 8 oz.	
419A...	Piston pin.....	1908-09..	$\frac{11}{16}$ " x $3\frac{3}{4}$ ".....	35..	Confess.....	419A.....	4	4 oz.	
420...	Piston pin screw.....	1908-09..	$\frac{1}{8}$ " x 1" x 18 thds.....	05..	Confide.....	420.....	4		
587...	Connecting rod assembly (obsolete).....	1908-09..	Substitute 3020 and 3024.....	3 00..	Confix.....	587A.....	4		
423...	Connecting rod piston pin bushing.....	1908-09..	$\frac{11}{16}$ " bore x $\frac{11}{16}$ " dia. x $1\frac{1}{4}$ " long.....	25..	Congee.....	423.....	4	3 oz.	
498A...	Crank shaft.....	1908-09..	25" long.....	12 00..	Conger.....	498A.....	1		
530...	Crank shaft ratchet.....	1908-09..	$1\frac{3}{8}$ " dia. x $1\frac{1}{4}$ " long.....	40..	Congius.....	530.....	1	5 oz.	
529A...	Crank shaft ratchet pin.....	1908-09..	$\frac{5}{16}$ " x $1\frac{3}{16}$ " long.....	02..	Conglobe.....	529A.....	1		
543A...	Crank case oil tube.....	1908-09..		50..	Congon.....	533A.....	1	4 oz.	
800...	Crank case and transmission lower case.....	1908-09..		12 00..	Conjoin.....	800A.....	1		
551...	PUMP ASSEMBLY.....	1908-09..		9 00..	Hakot.....	551.....	1	6 lb., 12 oz.	
434...	Pump body.....	1908-09..		4 00..	Hallux.....	434.....	1	2 lb., 15 oz.	
435...	Pump cover.....	1908-09..		2 00..	Halser.....	435.....	1	1 lb., 1 oz.	
443...	Pump cover gasket.....	1908-09..	$\frac{1}{4}$ " x $5\frac{1}{2}$ " out. dia.....	10..	Hamite.....	443.....	1	2 lb., 15 oz.	
452...	Pump cover screw.....	1908-09..	No. 10, 24 thds.....	05..	Hamose.....	452.....	8		
436...	Pump fan.....	1908-09..		1 00..	Hansa.....	436.....	1	7 oz.	
437...	Pump shaft.....	1908-09..	$4\frac{1}{2}$ " long.....	1 00..	Harab.....	437.....	1	4 oz.	
454...	Pump fan pin.....	1908-09..	$\frac{1}{2}$ " x $1\frac{1}{4}$ " long.....	01..	Harbor.....	636.....	1		

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
----------	--------------	------	----------------	-------	-----------	--------------------------------------	----------	------------------	----------------

Order the Following Parts for Cars Numbering Below 2500—Continued

451	Pump packing nut	1908-09	$\frac{3}{4}$ " x 18 thds., right hand	\$ 0 25	Harcute	451		1	
451 $\frac{1}{2}$	Pump packing nut	1908-09	$\frac{3}{4}$ " x 18 thds., left hand	25	Harlock	451 $\frac{1}{2}$		1	
450	Pump washer (steel)	1908-09	$\frac{1}{2}$ " x $\frac{11}{16}$ " x $\frac{7}{8}$ " dia.	10	Harod	450		1	
576	Pump drive gear and shaft	1908-09		2 50	Harpy	576		1	1 lb., 1 oz.
438	Pump drive gear only	1908-09	26 teeth, 3 $\frac{1}{2}$ " dia.	1 50	Haruz	438		1	13 oz.
439	Pump drive gear shaft only	1908-09	$\frac{5}{8}$ " dia. x 2 $\frac{1}{8}$ "	1 00	Hawser	439		1	4 oz.
440	Pump drive gear shaft bushing—rear	1908-09	$\frac{11}{16}$ " x 1"	25	Hazer	440		1	
453	Pump drive gear shaft bushing—front	1908-09	1 $\frac{1}{8}$ " dia. x $\frac{11}{16}$ "	25	Hebant	453		1	2 oz.
577	Pump inlet connection assembly	1908-09		1 00	Hebron	577		1	10 oz.
556	Pump inlet connection pet cock	1908-09	$\frac{1}{8}$ " pet cock	30	Heifer	556			
455	Pump inlet nut	1908-09	1 $\frac{1}{8}$ " x 18 thds.	30	Helek	455		1	
507A	Pump inlet hose	1908-09	1 $\frac{1}{4}$ " x 3'	30	Helix	507A		1	2 oz.
555	Pump inlet hose clip	1908-09	1 $\frac{3}{8}$ " dia.	05	Helpath	555		2	
456	Pump support screw	1908-09	$\frac{1}{8}$ " x 1" x 24 thds.	05	Hemal	456		3	
496 $\frac{1}{2}$	Radiator fan and shaft	1908-09		2 00	Hepvil	496-437		1	1 lb., 4 oz.
496	Radiator fan only	1908-09		1 00	Herbar	496		1	1 lb., 3 oz.
519	STARTING CRANK ONLY	1908-09		1 00	Hinny	519A		1	1 lb., 8 oz.
522	Starting crank handle bolt nut	1908-09	$\frac{1}{8}$ " x 20 thds.	05	Hippa	522		1	1 oz.
523A	Starting crank sleeve	1908-09	1" dia. x 3 $\frac{3}{4}$ "	50	Hippola	523A		1	5 oz.
524	Starting crank collar pin	1908-09	$\frac{1}{16}$ " x 1 $\frac{1}{8}$ "	02	Hipwart	524		1	
525	Starting crank collar	1908-09	1 $\frac{1}{8}$ " x $\frac{1}{2}$ "	25	Hlspid	525		1	
526	Starting crank spring	1908-09	$\frac{11}{16}$ " dia. x 1 $\frac{1}{8}$ "	10	Hitite	526		1	
527A	Starting crank ratchet pin	1908-09	$\frac{5}{16}$ " x 1 $\frac{1}{8}$ "	02	Hobah	527A		1	
528A	Starting crank ratchet	1908-09	1 $\frac{3}{8}$ " dia. x 1" long	35	Hobit	528A		1	3 oz.
723A	TRANSMISSION SHAFT	1908-09	1" x 7 $\frac{1}{2}$ " long	4 40	Depaint	723A		1	2 lb., 8 oz.
725A	Transmission disc drum	1908-09	1 $\frac{1}{8}$ " x 4 $\frac{1}{8}$ " dia.	3 00	Depeach	725A		1	1 lb., 5 oz.
726A	Transmission disc drum key	1908-09	"C" Woodruff	10	Deploy	726A		1	
716A	Triple gear bushing	1908-09	$\frac{11}{16}$ " bore x 1" dia. x 1"	50	Depore	716A		3	3 oz.
1100	RADIATOR	1908-09	Pump circulation	28 00	Hussar	1100A		1	

REAR AXLE PARTS

2507	Axle shaft babbitt bearing	1909		80		51		2	8 oz.
2533	Drive shaft babbitt bearing tubing		Discontinued, substitute No. 2580B					1	
2595	Drive shaft (substitute 2595D)		For straight bore pinion	3 50	Banish	87C		1	
2597	Drive shaft pinion (substitute 2595D)		Straight bore	4 00	Baneful	16B		1	

Part No.	Name of Part	Year	Specifications	Price	Code Word	Stock Orders Packed in Quantities of	Fac. No.	No. Req. per Car	Mailing Weight
BRASS BODY COMMUTATOR									
3200	Commutator	1909-11	Substitute No. 3160 on cars above 2500	\$ 3 00	Cortan	404	1	1 lb.	
3201	Com. body	1909-11	Brass	1 00	Cortum	457C	1		
3202	Com. cover	1909-11	3' dia.	15	Cortuse	461B	1		
3205	Com. brush	1909-11	State size of roller	50	Convent	574	1	4 oz.	
3208A	Com. fibre with contact points	1909	$\frac{5}{8}$ ' x $2\frac{3}{4}$ ' dia.	1 00	Convive	575A	1	2 oz.	
3208B	Com. fibre with contact points	1910	$\frac{3}{4}$ ' x $2\frac{1}{2}$ ' dia.	1 00	Convoke	575B	1	2 oz.	
3208C	Com. fibre with contact points	1911	$\frac{1}{2}$ ' x $2\frac{1}{2}$ ' dia.	1 00	Convoy	575C	1	3 oz.	
(For other parts see list on pages 19 and 21)									

KINGSTON COIL PARTS—1909-10-11

4201	Adjusting screw with plat. point	1909-10		75	Maestro	3048A	4		
4202	Vibrator spring with plat. point	1909-10		75	Magbish	3045A	4		
4303	Vibrator hammer	1909-10		10	Magne	3050A	4		
4219	Switch plug	1909-10		25	Marine	3065A	1		
4234	Vibrator spring with plat. point	1911		75	Matriz	3050D	4		
4235	Adjusting screw with plat. point	1911		75	Mattress	3044D	4		
4238	Coil unit	1911-13	Order No. 4713, page 49			4715			
4663	Vibrator bridge with plat. point	1911	Used with metal cov'd unit	75	Media!	4663	4		
4665	Unit knurled adjusting screw	1911	Used with metal cov'd unit	25	Meedate	4665	4		
4666	Vibrator with plat. point	1911	Used with metal cov'd unit	75	Mansae	4666	4		
4667	Vibrator spring	1911	Used with metal cov'd unit	10	Mensalt	4725	4		
4699	Switch lever assembly	1911	Used with metal cov'd unit	35	Marchet	3067D	1		

COTTER PINS

	Fac. No.		Fac. No.
$\frac{3}{16}$ ' x 1' cotter pins	421	$\frac{1}{16}$ ' x $\frac{1}{2}$ ' cotter pins	66
$\frac{1}{8}$ ' x $\frac{1}{4}$ ' cotter pins	85	$\frac{1}{8}$ ' x $\frac{1}{2}$ ' cotter pins	544
$\frac{1}{4}$ ' x 1' cotter pins	82	$\frac{1}{16}$ ' x $\frac{3}{4}$ ' cotter pins	88
Price, each			\$0 01
Price, per dozen			05
Price, per gross			25
Trans. band rivets, per thousand			2 00

NUTS

$\frac{1}{4}$ '—24 thds	\$0 02
This size nut used on following parts: 2514, 2554, 2584, 2722, 2729, 2932, 3073, 3074, 3362, 3437, 3443, 3540, 3541, 3642, 3929, 4034.	

General Index

	Page		Page
Rear Axle.....	4	Magneto.....	21
Rear Axle, Plate No. 1.....	6	Magneto, Plate No. 7.....	22
Front Axle.....	8	Motor.....	14
Front Axle, Plate No. 2.....	9	Motor, Plate No. 4.....	15
Body Parts.....	33	Motor, Plate No. 5.....	17
Carburetor, Kingston.....	44	Muffler.....	41
Carburetor, Holley.....	44	Radiator.....	39
Kingston and Holley, Plates No. 14		Radiator, Plate No. 12.....	38
and 15.....	42-43	Running Boards.....	49
Coil, Heinze.....	45	Special Tools.....	52
Coil, K. W.....	45	Tools, Plate No. 19.....	51
Heinze & K. W., Plate No. 16.....	46	Springs.....	36
Coil, Kingston.....	49	Springs, Plate No. 11.....	35
Kingston, Plate No. 17.....	47	Starting Crank.....	37
Commutator.....	19	Steering Gear.....	31
Commutator, Plate No. 6.....	20	Steering Gear, Plate No. 10.....	30
Fenders.....	49	Transmission.....	23
Fenders, Plate No. 18.....	48	Transmission, Plate No. 8.....	24
Frame.....	13	Transmission, Plate No. 9.....	27
Gasoline Tank.....	13	Wheels.....	11
Hood.....	41	Wheels and Gasoline Tank, Plate No. 3.....	12
Hood and Muffler, Plate No. 13.....	40	Wiring.....	41

For Parts of Model T cars built during 1909-10-11—See Page 55.